

INDEX OF AUTHORS

Abildskov, J. A., 122, 126
Akman, L. C., 523, 890
Allen, E. V., 369, 726
Atkins, J. P., 419
Attyah, A. M., 237

Barker, P. S., 134
Bawell, M., 434
Bayley, R. H., 31
Bedford, D. R., 31
Bello, C. T., 298
Benjamin, J. M., Jr., 197, 321
Berger, A. R., 10
Bercu, B. A., 409
Besoain-Santander, M., 604
Best, M. M., 344
Bine, R., Jr., 749
Bing, R. J., 513
Blades, B., 565
Bland, C., 749
Bland, E. F., 517
Bloomfield, A. L., 801
Bolene, C., 523, 714, 722
Boucot, K. R., 336
Brainerd, H., 859
Bridges, W. C., 240
Brill, W. D., 578
Briller, S. A., 10
Brown, H. R., Jr., 765
Bruce, R. A., 245
Brumlik, J., 10
Bryant, J. M., 5
Buie, R. M., 822
Burch, G. E., 111, 122, 126
Byers, S. O., 749

Calazel, P., 513
Campbell, C. G., 230
Chapman, C. B., 770
Civin, W. H., 545
Clark, H. E., 494
Clark, P., 565
Coe, W. S., 344
Collins, D. C., 438
Conway, J. P., 111
Cournand, A., 641
Couter, W. T., 441
Cronvich, J. A., 111, 122, 126

Daley, R., 513
Dammann, J. F., Jr., 513
Davies, D. F., 494
Donnelly, J., 10
Dotter, C. T., 915
Draper, A., Jr., 513
Dworken, H. J., 880

Edwards, J., 545
Elliott, H. A., 161
Engle, M. A., 481
Epstein, M. A., 765
Estes, J. E., Jr., 258

Farah, A., 742
Felder, L., 286
Fennell, Robert H., 558
Ferris, H. A., Jr., 414
Field, L., 240
Fine, I., 859
Fink, S. A., 426

Finnerty, F. A., Jr., 828
First, S. R., 31
Fishman, A. P., 392
Foltz, E. L., 215
Ford, W., 565
Forsyth, C., 907
Frank, H. A., 850
Freis, E. D., 828
Friedman, B., 572
Friedman, M., 749
Friedman, S. M., 230

Garn, S. M., 205, 380, 517, 696
Gazes, P. C., 215
Gefter, W. I., 336
Gerard, R., 513
Gertler, M. M., 205, 380, 517, 696
Gibbons, T. B., 770
Gilbert, R. P., 402
Gilson, J. S., 278
Glueck, H. I., 530
Gofman, J. W., 161
Goldberg, H., 179
Goodale, W. T., 48
Gouaux, J. L., 422
Goulder, N. E., 756
Grant, R. P., 676
Grau, S., 422
Gray, F., 240
Green, D. M., 240
Griffith, G. C., 668
Grishman, A., 598, 921

Hafkenschiel, J. H., 321
Halperin, M. H., 373
Harris, R., 722
Harrison, T. R., 822
Havel, R. J., 536
Hecht, H. H., 37
Heimbecker, R., 513
Helfern, M., 426
Henschel, A., 770
Hines, E. A., Jr., 225
Hogben, C. A. M., 369
Horwitz, O., 845
Hurst, J. W., 558
Hwang, W., 553

Ingraham, R. C., 179

Jackson, C. E., 126
Johnson, A. D., 240
Johnston, F. D., 5, 134
Jones, H. B., 161
Jones, R. J., 756

Kahn, J. R., 363
Katz, L. N., 94, 392, 523, 553,
705, 714, 722, 890, 900
Kay, C. F., 197, 321
Keith, J. D., 907
Kistin, A. D., 578
Kossmann, C. E., 10
Kulwin, M. H., 225
Kuramoto, K., 553

de Lalla, V., Jr., 765
Langendorf, R., 604
Langner, P. H., Jr., 419
Lehmann, J. H., 240

Lerman, J., 205
Levine, H. D., 48
Levinson, D. C., 668
Levinson, J. E., 530
Lewis, J. K., 402
Lewis, J. M., Jr., 822
Lindgren, F. T., 161
Litter, J., 373
Loomis, T. A., 742
Lovejoy, F. W., Jr., 245
Lowen, H. J., 426
Luisada, A. A., 872
Lyon, T. P., 161

Makinson, D. H., 186
Maraist, F. M., 513
Marshall, E. W., 336
Massell, T. B., 850
Massie, E., 409
Master, A. M., 598
McDowell, M. E., 245
McFee, R., 5, 128
McKinnon, J. B., 572
Mednick, H., 250
Megibow, R. S., 265
Michel, J., 240
Miller, A. J., 523, 890
Montgomery, H., 845
Moragues, V., 434
Mund, A., 286
Myers, G. B., 60, 75

Nyboer, J., 811

Parker, J. G., 286
Pearson, H. E., 668
Pearson, R., 245
Peterson, L. H., 351
Pick, A., 604
Pitcairn, D. M., 505
Podore, C. J., 530
Pree, O., 553

Radar, B., 10
Rapaport, S. I., 850
Rashkoff, I. A., 265
Reichert, R. E., Jr., 441
Robb, G. P., 578
Roberts, D. J., 915
Robinson, F. J., 304
Roemhild, F., 179
Rodbard, S., 392
Rokaw, S. N., 409
Rubin, A., 215

Salans, A. H., 900
Samet, P., 250
Sancetta, S. M., 886
Sandberg, A. A., 598, 921
Schack, J. A., 890, 900
Schaefer, L. E., 265
Schemm, F. R., 278
Scherlis, L., 921
Schwan, H., 321
Schwedel, J. B., 250
Scott, R. W., 886
Segall, S., 553
Sevier, S. M., 822
Shepard, W. P., 736
Shrader, E. L., 434
Shumway, N. P., 363

Silber, E. N., 523, 890
Skeggs, L. T., 363
Sokolow, M., 859
Soloff, L. A., 298
Sorenson, C. W., 658
Spencer, H., 880
Sprague, H. B., 380
Stamler, J., 392, 523, 705, 714,
722
Steiger, W. A., 215

Steinberg, I., 915
Strisower, B., 161
Sutton, G. C., 271

de Takats, G., 837
Taussig, H. B., 481
Taylor, H. L., 770

Watkins, E., Jr., 536
Wener, J., 598, 921

White, P. D., 558, 696
Wiggers, H. C., 179
Wilkins, R. W., 373
Woodbury, L. A., 37
Wright, I. S., 658, 929

Youmans, W. B., 505
Yu, P. N. G., 245

Zinsser, H. F., Jr., 197, 845

INDEX OF SUBJECTS

(Page numbers in *italics* refer to abstracts; page numbers in parentheses refer to book reviews.)

- Abdomen, acute surgical, vs. myocardial infarction, 78
- Abscess, and depressor response in hypertensive dogs, 392-400
- Absorption of electrolytes, 313
- Accession deflection, atrial, 21
- Accident, electric, and auricular fibrillation, 145
- Acetylcholine, 787
conversion of flutter to fibrillation, 746
coronary artery response to, 786
- Ac-globulin, 778
- Acidosis, and ECG, 868
- ACTH
for acute carditis, 791
for disseminated micro-arteritis, 732
for periarteritis nodosa, 456
for rheumatic fever, 452
for rheumatic myocarditis, 733
and salt retention, 503
- Action potential, of heart muscle, 451
- Adenylic acid, muscle, for vascular lesions, 954
- Addison's disease, and low sodium diet in hypertension, 624
- Adrenal gland
cholesterol concentration in, 717
cortex
extract of, and DCA, 948
and hypertension, 494-503
zona glomerulosa of, 502-03
insufficiency, cardiac changes in, 635
lipid concentration, 708-09
medulla, pheochromocytoma of, 506-11
- Adrenaline
and coronary artery lesion, 946
in hypoxemia, 789
and pulmonary edema, 872-75
- Adrenocorticotrophic hormone. *See* ACTH
- Age (of patient)
and abdominal aortic aneurysm, 259
and anesthesia, 313
and aortic length, 916
and atherosclerosis, 473
and bleeding, 370
and cholesterol, 291, 517-22
and cardiac axes, 622
and myocardial damage after digitalis, 925
and onset of heart disease, 638
in pulmonary stenosis with patent foramen ovale, 558-62
and QRS loop, 685
and renal excretion of digitoxin, 750-52, 754
and serum lipids, 212
- Albumin test, in heart failure, 291
- Alcohol
for angina pectoris, 949
in coronary thrombosis, 931
and pulmonary edema, 873-78
and alkaline phosphatase test, in heart failure, 289
Alkalosis, and ECG, 868
- Allorhythmia, ventricular, 607
See also Arrhythmia
- Alloxan, diabetes from, and vascular lesions, 468
- Alternation, electrical, in coronary artery occlusion, 457
- Altitude, high, and rheumatic heart disease, 149
- Aluminum hydroxide, and cholesteraemia, 479
- Ambulation, early postoperative, and thromboembolism, 631
- American Heart Association, Inc.
annual elections, 159
annual meeting, 800
Brazilian Society of Cardiology, complete proceedings of, 160
career investigators, 160
Committee on Anticoagulants, 459
Committee on Cardiovascular Clinics, meeting of executive committee of, 640
Committee for the Evaluation of Anticoagulants in the Treatment of Coronary Thrombosis with Myocardial Infarction, 932-33
Council on Rheumatic Fever, 320
Executive Committee, 458
fellowships, 640
First National Conference on Cardiovascular Diseases, complete proceedings of, 160
fund raising, 320
Gold Heart Awards, 159
grants-in-aid, 458
membership, 959
Midcentury White House Conference, 960
new affiliates, 459
Public Health Committee, 160
and research on cardiovascular diseases, 727-29
Scientific Council, 458
Program Committee, 960
Twenty-fourth Scientific Sessions, 800
as a voluntary public health agency, 736-41
- American Society for the Study of Arteriosclerosis
abstracts of proceedings of, 464-80
annual meeting, 460-63
Ameba histolytica, in pericarditis, 947
- Aminophylline
for coronary thrombosis, 931
intravenous
in cerebral circulation, 313
and coronary blood-oxygen exchange, 215-24
and plasma prothrombin time, 617
- Ammonium chloride, and pulmonary edema, 876
- Amniotic fluid, embolism of, 632
- Amputation, of gangrenous extremity, 955
- Amyl nitrate, and arterial blood pressure, 356-58
- Amyloidosis, 730
with hypertension, 944
primary, vs. chronic constrictive pericarditis, 441
- Anastomosis
arterial, 453, 631
vascular, clamp for construction of, 637
- Anatomicopathology, in chronic venous insufficiency, 226-29
- Anemia, pericardial effusion vs. cardiac enlargement in, 298-303
- Anesthesia
and cardiac output in dogs, 399
and circulation, 787
geriatric, 313
for heart surgery, 315
Pentothal, in a cyanotic child, 244
and reflex response, 360
spinal, and arterial blood pressure, 357-58
- Aneurysm, 308
of aorta, 150
abdominal, 258-64
dissecting, 148
thoracic, 145
apical, ECG study of, 621
arterial 453
pulmonary, 565-70
arteriovenous, 632
in Osler's hemorrhagic telangiectasia, 633
of phrenic vessels, 311
cardiac, 620
cerebral, 311, 446
congenital, of superior vena cava, 619
spontaneous cure of, 955
- Angina, abdominal, 635
- Angina pectoris
alcohol for, 949
and autonomous nervous system, (798)
and blood lipid molecules, 173
and cardiac output, 189-90
kellin for, 313, 344-49
propyl thiouracil for, 626, 787
TEA for, 788
- Angiocardiography, 150, 733, 952
in anomalous pulmonary venous drainage, 556
aortic length, 915-20
circulation times for, 315
coarctation of aorta, 307
Ebstein's anomaly, 491
enlarged bronchial arteries, 952
patent ductus arteriosus, 907-14

- Angiocardiography (*Cont'd*)
 primary hemangiosarcoma of the pericardium, 792
 of transfixated heart, 429
 valvular pulmonic stenosis, 490
 venous pressure, evaluation of, 792
- Angiography, subelavian, by arterial catheterization, 153
- Angiotonin, 731
- Anomalies. *See* Congenital anomalies
- Anoxemia test, in coronary insufficiency, 97, 347-48
- Anoxia
 acute, 646
 and cytochrome C, 626
 chronic, 543
 effects of, 650, 655
 myocardial, khellin for, 349
- Antibiotics, 733, 954
 in bacterial endocarditis, 801-09
 bacterial resistance to, 668-75
- Anticoagulant
 in bacterial endocarditis therapy, 804
 heparin, 837-44
 Paritol, 658-67
 in surgery, 776
 for thrombosis
 coronary, 932-35
 intravascular, 732
 venous, 776
- Antidiuresis, 409-12
- Antidiuretic hormone, 824
- Antifibrillatory drugs, 949
- Antifoaming agent, for paroxysmal pulmonary edema, 872-78
- Antigenicity, of streptolysin O and cholesterol, 637
- Antistreptolysin S, 636
- Aorta
 abdominal
 aneurysm of, 258-64, 452
 embolization from, 631
 aneurysm of, 148, 150
 biventricular origin of, and Eisenmenger complex, 545-51
 catheterization of, 446
 cauterization of, 792
 cholesterol concentration, 710
 cholesteroses vs. phospholipidosis, in chick, 526
 coarctation of, 140, 730, 913
 angiocardiography, 307
 aortography, 911
 arteriography, 940
 ballistocardiography, 758, 759
 femoral pulse curve in, 140
 K peak in, 762
 surgical treatment, 792
 length, 915-20
 pulmonary, aging processes in, 476
 rupture of, 146, 626
 stenosis, 625
 tissue, phosphatase in, 452
 vascularization of, 312
- Aortic insufficiency, 772-74
- Aortography, 951, 952
 abdominal, 630
 patent ductus arteriosus, 907-14
 retrograde, in coarctation of aorta, 791
 thoracic, 150
- Apnea, during minute volume determinations, 758
- Appendicitis, acute, and myocardial infarction, 942
- Arborization block, 31
 ECG changes, 621
- Argyrosis, 311
- Arm, dependency of, and blood flow, 374-75
- Arrhythmia
 in coronary venous catheterization, 58
 and digitalis, 97-98
 in intracardiac catheterization, 240-45
 in thoracic surgery, 358-59
 vs. myocardial infarction, 86-91
 premature systoles, 95
 pulsus alternans, 358
 sinus, 95
 ventricular, 607
See also Fibrillation; Flutter; Tachycardia
- Arteriol, 148, 787
- Arteriography
 cerebral, 318, 450
 of lower extremities, 317
 pulmonary, in bronchial carcinoma, 456
 retrograde, in coarctation of the aorta, 940
- Arteriole
 and cardiac hypertrophy, 414-18
 constriction of, and smoking, 852
 in chronic venous insufficiency, 226-29
 pulmonary, 548, 730
 renal, 469
- Arteriosclerosis
 and abdominal aorta, 258-64
 cause of, 447
 and choline, 471
 coronary, and myocardial hypertrophy, 730
 and coronary thrombosis with myocardial infarction, 929
 and inositol, 471
 of legs, thrombosis in, (797)
 and lipids in biliary obstruction, 795
 pulmonary, etiology of, 455
 spontaneous canine, 477
 white blood cells in, 470
See also Atherosclerosis
- Arteritis, cranial
 ACTH for, 732
 cortisone for, 456, 732
- Artery
 anastomosis, 453, 631
 aorta, catheterization of, 446
 bronchial, angiocardiography, 952
 carotid, thrombosis of, 151
 coronary
 acute thrombosis, and cholesterol content, 619
 anomalies of, 940
 blood flow in, and strophanthus, 513-16
 and collateral circulation, 730
 disease of, and cholesterol, 205-13, 389, 517-22, 696-703
 embolism, 434-37
 and heart pain, 781
 hypoplasia of, with paroxysmal tachycardia, 618
 insufficiency of, and khellin therapy, 344-49
 isolated, reactions of, 786
 lesions of, 946
 medial degeneration of, 470
 occlusion, 457, 941
 physique and lipid levels, 386-91
 defect of, and vascular transplant, 316
 esophageal, 637
 femoral, palpation of, in coarctation of aorta, 913
 hypertension, genesis of, 624
 insufficiency, Priscoline vs. sympathectomy for, 635
 intercostal, 730
 intrapulmonary, pathology of, 545-51
 lesion, experimental, 469
 occlusion of, and continuous lumbar sympathetic block for, 633
 periarteritis nodosa, 456, 634, 730, 793, 944
 peripheral, embolism of, 632
 pulmonary, aging processes, 476
 aneurysm, 565-70
 electrokymography, 901-02
 embolism and vagal activity, 793
 intra-arterial potentials, 10-29
 pressure, 643, 645-46
 in valvular pulmonic stenosis, 490
 renal, and clamp for producing hypertension, 625
 subelavian
 aneurysm of, 453
 anomaly of, 780
 surgery, 630
- Arthritis
 rheumatoid, 729
 cardiac lesions in, 947
 tissue response to heat-killed streptococci, 318
- Ascorbic acid
 antirheumatic activity of, 790
 in cardiac decompensation, 949
 cardio-protective, 147
- Ascites, circulation of, 638
- Aspirin, in vascular disease, 153
- Asthenia, neurocirculatory, 188-90, 194
- Asthma, cardiac, simulated by dorsal spine radiculitis, 957
- Atheroma, 525
 venous, 312
- Atheromatosis
 and aluminum hydroxide, 479
 in chick, and age factor, 473
 and cholesterol, 731
 after cauterization of aorta, 792
 thoracic, 710
- Atherosclerosis, 464, 732
 and blood lipids, 161

- and body weight changes, 793
- and cholesterol, 141, 205-13, 465, 470, 479, 705-12, 718-19
- coronary
 - choline therapy, 141
 - x-ray detection, 141
- and DCA, 480
- in diabetes mellitus, 474
- of early age, 473
- and fat absorption, 316
- and lipids, 316
- and lipoprotein, 466
- in Okinawans, 702-03
- phospholipid/cholesterol ratio, 472
- roentgenologic signs, 476
- and saponin, 480
- spontaneous, and salt-induced hypertension, 468
- stilbestrol-induced desiccated thyroid for, 523-28
 - choline-inositol effect on, 722-24
- tests for, 478
- Atresia, congenital, of pulmonary and tricuspid valves, 780
- Atrium
 - blood pressure, 643-44
 - deflections
 - intra-atrial, 21-26
 - in pulmonary artery, 14
 - ECG levels, 531
 - left
 - electrokymographic study, 572-77
 - potentials, 55-56
 - right
 - activation of, 55
 - arrhythmia during catheterization, 240
 - drainage of pulmonary blood into, 553-56
 - thrombus in, and chronic pericarditis with effusion, 138
- See also Auricle
- Atropine
 - for auricular fibrillation, 747
 - for auricular flutter, 746
 - for coronary thrombosis, 932
 - in heart block, and acceleration of pulse rate, 359
 - and ventricular tachycardia, 248
- Aureomycin, for bacterial endocarditis, 674, 807
- Auricle
 - intra-auricular ECG, 37-46
 - left
 - enlargement of, and esophageal ECG, 782
 - myxoma of, 947
 - maximum rate of stimulation of, 744
 - right
 - and ECG, 44-45
 - hypertrophy of, 44-45
 - electrokymography, 903
- See also Atrium
- Auricular fibrillation, 95, 142, 145, 146, 241, 622, 746, 946, 949
- A-V conduction in, 604-15
- Auricular flutter, 142, 622
 - A-V conduction in, 604-15
 - and cardiac glycosides, 742-48
- Auriculoventricular block, 609-10, 612
- Auriculoventricular conduction, in auricular flutter, 604-15
- Auriculoventricular dissociation, 142
- Auriculoventricular junction, 99
- Auscultation, 149
 - intratracheal, 789
- Automaticity, of heart muscle, 786
- aV limb lead, 103-06
- Ayerza's syndrome, 455
- Bacteria
 - in endocarditis, 801-09
 - resistance of, to antibiotics, 668-75
- Bacterial endocarditis, 459, 617, 668-75, 729, 937, 941
 - subacute, 139, 318, 776, 801-09
- Bacterioid endocarditis, 807
- Bainbridge reflex, 356
- BAL, cardio-protective value of, 147
- Ballistocardiography, 318
 - aortic insufficiency, 773, 774
 - vs. hypertension, 760
 - distention of bile ducts, 355-56
 - H wave, 765-69
 - low frequency, critically damped, 756-64
 - postexercise changes, 186-95
- Barium chloride, cardiovascular changes following, 789
- Basal metabolic rate, in coronary artery disease, 701
- Basedow's disease, heart rate in, 958
- Beat
 - idioventricular, 424
 - premature
 - and A-V conduction, 610-11, 615
 - experimental, 20
 - vs. myocardial infarction, 86-87, 89
- Benadryl, 635
- Benzodioxan, 144, 732
- Bigeminy, ventricular, 607, 614
- Bilirubin test in heart failure, 289-90
- Blalock-Taussig operation, 482
- Bleeding. See Hemorrhage
- Block
 - A-V, 609-10
 - two levels of, 612
 - arborization, ECG changes in, 621
 - bundle branch
 - ECG, 685, 694
 - electrokymography, 903-05
 - vs. myocardial infarction, 60-74
 - complete, associated with pregnancy, 140
 - continuous lumbar sympathetic, for vascular disorders, 633
 - hexamethonium for, 828-35
 - stellate, 634
 - ganglionic
 - agents for, 788
 - intra-ventricular, 243
 - peri-infarction, 31-36
 - sub-branch, 691
- V-A, in paroxysmal ventricular tachycardia, 422-25
- Blockade, paravertebral, 152
- Blood
 - arterial
 - oxygen saturation, 650-52
 - oxygen tension, 536, 541-43
 - canine, vasoconstrictor in, 629
 - dyscrasia, and cardiac enlargement, 298-303
 - electrical resistivity, 322, 328, 812-19
 - and frequency, 327
 - hypertensin isolated from, 363-68
 - lactate-pyruvate ratio, 536-37
 - lipids
 - and atherosclerosis, 161
 - and choline secretion in diabetes, 795
 - lupus erythematosus factor, 958
 - during muscular activity, 950
 - oxygenation of, by gas dispersion, 312
 - peripheral, 451
 - and TEA, 318
 - potassium, 75-77, 91
 - sludge, and sympathetic stimulation, 153
 - stasis, 145
 - transfusion, in coronary thrombosis, 931
 - ultraviolet irradiation of, for thrombophlebitis, 151
 - volume, and cardiac size, 303
 - See also Circulation; Coagulation; Pressure
- Blood cell, white, 470
- Blood vessel, of skin, in chronic venous insufficiency, 225-29
- Blood volume
 - and cardiac output in chronic pulmonary emphysema, 651
 - pulmonary, 644
- Bone marrow, red, in heart, 780
- Bradycardia, 355
 - sinus, following catheterization, 243
- Brain
 - circulation
 - and dihydrocornine, 628
 - in hemorrhage, 179
 - in vascular disease, 634
 - involvement, and myocardial failure, 941
 - specific resistivity of, 322
- Bromsulfalein, 286
 - heart failure test, 290
 - hepatic metabolism test, 183
- Bronchiectasis, and anomaly of right pulmonary vein and right diaphragm, 450
- Bronchus
 - intrabronchial ECG, 419-21
- Brown, George E., 726-27
 - Memorial Lecture, 726-35
- Buerger's exercises, in peripheral vascular disease, 378
- Bundle branch, left, after digitalis, 925
- Bundle branch block
 - electrokymography, 903-05
 - ECG terminal forces in, 694

- Bundle branch block (*Cont'd*)
 left, diagnosis of, 60-67
 vs. peri-infarction block, 31
 right, diagnosis of, 67-74
 and spatial vector ECG, 685
 Burns, thermal, 312
- C6 (hexamethonium), 828-35
 Calcification
 of cardiac aneurysms, 620
 massive, in infarcted myocardium, 141
 Calcium
 and cardiac glycosides, 146
 serum, and ECG, 868
 Calories, dietary, and renal hypertension, 143
 Capacitance, of tissue, 322
 Capillary
 fragility of, in diabetes mellitus, 955
 pressure, 643-44
 resistance, test for, 790
 Capryl alcohol, and pulmonary edema, 873
 Carbon, radioactive, in cholesterol metabolism, 467
 Carbonic anhydrase, in congenital heart disease, 339
 Carcinoma, bronchial, pulmonary arteriography in, 456
 Cardiac cycle, electrokymography, 943
 Cardiac failure
 chronic, method for producing, 140
 and liver function, 619
 Cardiac output
 and acute anoxia, 646
 and blood volume in chronic pulmonary emphysema, 651
 in dogs, 314
 and anesthesia, 399
 of ferrets, 149
 in heart failure, 822
 high altitude, 145
 post exercise, in disease, 188-90
 and pulmonary hypertension, 653
 Cardiac vein, potentials in, 50-55, 57
 Cardiology, (799)
 Cardiopathy, ECG study of, 142
 Cardiopulmonary disease, oxymetric method in, 456
 Cardiotonic drugs, (155)
 Cardiovascular disease, (799)
 and electroshock, 957
 psychosomatic aspects of, 958
 Cardiovascular syphilis, specific therapy in, 789
 Cardiovascular system
 and barium chloride, 789
 in gargoylism 785
 and neoarsphenamine, 788
 performance of, in aortic insufficiency, 770-74
 Carditis
 acute, ACTH for, 791
 in serum sickness, 869
 Carotid sinus, 359, 639
 Catheterization
 arterial, in subclavian angiography, 153
 cardiac, 319
 in Ebstein's anomaly, 491
 ventricular tachycardia during, 245-48
 cardiovascular, 731
 coronary venous
 arrhythmia, 58
 technic, 48-50
 intracardiac, 779
 in acyanotic congenital heart disease, 339
 arrhythmia, 240-45
 venous, cardiovascular lesion following, 785
 Cations, removal of, by H-form resins, 148
 Causalgia, hexamethonium for, 834
 Cavity, cranial, blood in, 823
 Cell
 electrolytic, 325-26
 syncytial, in heart, 98-99
 Cellophane, as dialyzing membrane, 364
 Cephalin-cholesterol flocculation, 795
 test, in heart failure, 288
 Cerebrum, arteriography, 318
 CF lead, 103
 Chagas' disease, myocarditis from, 449
 Child
 ECG, 448
 metabolism, 536-43
 hypertension of renal origin, 945
 Chinese, coronary artery disease in, 696-97
 Chloromycetin, for bacterial endocarditis, 807
 Cholesteremia, 473, 479
 Cholesterol
 in adrenal gland, 708-09
 and antigenicity of streptolysin O, 637
 in aorta, 710
 and atheromatous changes, 731
 and atherosclerosis, 141, 205-13, 465, 470, 479, 705-12, 718-19
 blood, in acute coronary artery thrombosis, 619
 and blood lipid molecules in atherosclerosis, 161-177
 and cauterization of aorta in atheromatosis, 792
 cholesterol and cephalin flocculation reaction, 288, 795
 and coronary artery disease, 205-13, 386-91, 696-703
 dietary, 452
 and serum lipid, 475
 endogenous, 702
 feeding of, in hamsters, 313
 hepatic, 477, 709
 metabolism of, 467
 and DCA, 480
 plasma, 524
 and phospholipid, 472
 serum, 451
 and patient's age, 517-22
 and physique, 382
 stabilizers, 464
 after stilbestrol implantation, 524
 total, and ponderal index, 383
 and Tween 80, 471
 Cholesterol test, in heart failure, 290-91
 Cholesterolemia, 473, 479
 Cholesterosis
 aortic, 525-26
 choleine-inositol effect on, 718
 Choline
 and arteriosclerosis, 471
 and atherosclerosis
 coronary, 141
 stilbestrol-induced, 722-24
 and lipids
 in cholesterol-fed chick, 716-19
 in diabetics, 795
 in serum, 310, 479
 Cinedensigraphy, in mitral valvulitis, 791
 Circle of Willis, 446
 Circulation
 and anesthesia, 787
 of ascitic fluid, 638
 capillary, and changes in sympathetic activity, 153
 cerebral
 and aminophylline, 313
 and dihydrocornine, 628
 collateral, 953, 955
 and arteriovenous fistula, 316, 455, 793
 and coronary arteriosclerosis, 730
 coronary, (798)
 and auricular fibrillation, 146
 and cardiac oxygen consumption, 315
 and khellin, 344
 and intravenous aminophylline, 215-24
 venous, 50
 visualization of, during angiocardiology, 791
 and dependency of limbs, 373-79
 digital, after hexamethonium, 830-32, 834
 efficiency of, and sodium succinate test, 786
 electrical impedance plethysmography, 811-21
 of ferrets, 149
 in frostbite, 310
 in hypertension, 623
 canine, 392-400
 and "intrinsic" reflexes, 351-62
 peripheral
 failure in, 823
 hot packs for, 950
 and Priscol, 148
 and SC 1950, 628
 postsympathectomy, and smoking, 850-57
 and posture, 149
 pre- and post-exercise, 195
 prothrombin disappearance, 445
 pulmonary, 548-49, 641-56
 and respiratory function, 145
 responses to hemorrhage, 639
 reversal of, in left ventricle, 958
 and strophanthus, 513-16
 in thermal burns, 312
 and tonus, 794
 vascular, 629

- in typhoid fever, 784
venous
hematocrit of, and lactic de-
hydrogenase index, 542
in leg, during pregnancy, 635
- Circulation time
for angiocardiology, 315
and venous pressure, 314
- Circus movement, of auricular
flutter, 747
- Cirrhosis
biliary, 795
cardiac, 293
of liver, venous pressures in,
458
- Clamp
for construction of vascular
anastomosis, 637
renal artery, for producing hy-
pertension, 625
- Claudication, intermittent, two-
step test, 954
- Clotting. *See* Coagulation
- Coagulation, (797)
anticoagulant therapy, 617
defective, 445
dicumarol toxicity, 306
and digitalis, 271-76
and 4-hydroxycoumarin, 139
in leukemia, 139
and liver function, 274
in mechanical heart, 795
and penicillin, 617
Pitkin heparin menstruum, 530-
34
in polycythemia, 139
and proteolytic action of
plasma, 776
and Zeta-potentials, 617
- Coagulation time
and heparin, 139, 837-44
Pitkin menstruum, 530-34
- Coarctation of aorta, 730, 759, 913
aortography, 911
retrograde, 791
arteriography, retrograde, 940
ballistocardiography, 758
K peak, 762
surgical treatment of, 792
- Coeliac plexus, 358
- Coelomic cyst, pericardial, 953
- Coenzyme I, 536
- Cold
as frostbite therapy, 310
as thermal burn therapy, 312
- Cold pressor response
and hexamethonium, 829
and piperidylmethyl benzo-
dioxane, 627
- Collapse, and hexamethonium, 829
- Colon, traction on, and blood
pressure, 355
- Compensation, cardiac, and blood
coagulation, 274
- Conductance, of trunk, 323
- Conduction
of action currents, 24
A-V, in auricular flutter, 604-15
cardiac, 100
disturbances, 95
in impedance plethysmography,
811-20
in left bundle branch after
digitalis, 925
in living tissue, 321-34
retrograde, in paroxysmal
ventricular tachycardia,
422-25
- Congenital anomalies
aneurysm of superior vena cava,
619
aortic septal defect, 880-84
arteriovenous fistula, 939
atresia of pulmonary and tri-
cuspid valves, 780
cor biloculare, 778
cor triloculare, 779
Ebstein's, 491, 618
of heart, (155)
and pulmonary aneurysm, 565
pulmonary stenosis, 779
tetralogy of Fallot, 139, 306,
488, 490, 536, 558
- Congenital heart disease
acyanotic, right heart catheter-
ization in, 939
with cyanosis, (155), 306
ECG in, 446
metabolism
of lactate, 536-43
of pyruvate, 536-43
squatting in, 780
- Congestion, of head, and sodium
excretion, 823-26
- Congestive heart failure
chronic, liver function tests in,
286-94
edema of, 731
fasting in, 140
localized interlobar effusion in,
336-43
thromboembolism in, and dicu-
marol prophylaxis, 631
- Conjunctiva, bulbar, peripheral
vascular system in, 455
- Contour
ECG, 95-98
pulse, 353
- Conus arteriosus, galvanometric
record, 16-17, 27
- Cooling
repolarization in ventricle, 145
vascular response to, in digits,
783
- Cor biloculare, 778
- Cor pulmonale, 96
acute, 45
and aV limb leads, 104
ECG in, 447
and chronic pulmonary em-
physema, 653, 654
vs. valvular pulmonic stenosis,
491
- Cor triloculare, 779
- Coronary artery
acute thrombosis, and chole-
sterol content, 619
anomalies of, 940
blood flow in, and strophanthus,
513-16
and collateral circulation, 730
disease of
in Chinese, 696-97
and cholesterol, 205-13, 389,
517-22, 696-703
and heart pain, 781
physique and lipid levels,
386-91
embolism, 434-37
- hypoplasia of, with paroxysmal
tachycardia, 618
insufficiency of, and khellin
therapy, 344-49
isolated, reactions of, 786
lesions of, 946
medial degeneration of, 470
occlusion, 457
and subacute bacterial endo-
carditis, 941
- Coronary heart disease
and ballistic abnormalities, 195
pulmonary embolism in, 941
- Coronary insufficiency, 97
and blood lipid molecules, 169,
173
ECG, 783, 943
exercise test, 942
RS-T segment displacement in,
598-602
- Coronary occlusion, ECG in for-
mative stage of, 783
- Coronary sinus, 55
catheterization of, 57, 618
potentials in, 50-53, 55-57
reflexes, 352
- Coronary thrombosis, with myo-
cardial infarction, 920-35
- Cortisone
for cranial arteritis, 456, 732
for disseminated micro-arteritis,
732
and hypertension, 147
and nephritis, 147
for periarteritis nodosa, 456
for rheumatic fever, 452
for rheumatic myocarditis, 733
- Cortex, adrenal, and hypertension,
144
- Cournand and Richard's exercise
test, and lactate-pyru-
vate ratio, 541, 542
- Cramp, leg, benadryl hydrochlor-
ide for, 635
- Cranium, blood in, 823
- Crista supraventricularis, ECG,
27-28, 690
- Cubical electrode system, averag-
ing network, 131-32
- Current, skin, 8
- Cushing's syndrome vs. endocrine
hypertensive syndrome,
501
- Cyclopropane, and pulsus alter-
nans, 358
- Cyanosis
in congenital heart disease,
(155), 306
in Eisenmenger complex, 550
infant, Pentothal anesthesia in,
244
and lactate-pyruvate ratio, 542-
43
and patent foramen ovale, 488
in tetralogy of Fallot, 491
- Cyanotic heart disease, con-
genital, 779
- Cyclopropane, and pulsus al-
ternans, 358
- Cyst, sebaceous. *See* Atheroma.
- Cytochrome C, and anoxia, 626
- Cytochrome system, 536, 537
- DCA
in acute heart injury, 232-36

- DCA (*Cont'd*)
 and adrenal cortical extract, 948
 and anterior pituitary extract,
 in vascular disease, 792
 and cholesterol metabolism, 480
 and heart size, 303
 and salt, in hypertension, 502
 and vascular reactivity, 788
 Decomensation, cardiac, mercu-
 hydrin and ascorbic acid
 for, 949
 Deflection
 atrial, 21-26
 extrinsic, 14
 intrinsic, 40, 682
 auricular, 55
 and subepicardial activation,
 783
 intrinsicoid, 40-44
 rS, in left bundle branch block,
 65
 semi-intrinsic, 40-43
 ventricular, 17-21, 26
 Demarcation potential, 17
 atrial, 24
 Densography, pulmonary artery,
 901-02
 Dentistry
 and bacterial endocarditis, 802
 and penicillin prophylaxis, 459
 Dependency, of limbs, and blood
 flow, 373-79
 Depo-heparin, 838-41
 in coronary thrombosis, 934
 Depolarization, and crista supra-
 ventricularis, 690
 Depression, cardiac, and sympat-
 hetic inhibition, 356
 Depressor response, canine, to
 acute inflammation, 392-
 400
 Desoxycoorticosterone acetate. *See*
 DCA
 Dextrocardia
 diagnosis of, 938
 with Lutembacher's syndrome,
 779
 D.H.O. 180, for hypertension, 943
 Diabetes mellitus
 alloxan-caused, and vascular
 disease, 468
 and blood lipid molecules, 169,
 173
 choline excretion in, and blood
 lipids, 795
 capillary fragility in, 955
 cardiac complications, 308
 and premature vascular disease,
 474
 serum lipid, 474
 Dialysis, isolation of hypertensin
 from blood, 363
 Diaphragm, right, anomaly of,
 and bronchiectasis, 450
 Diastole, 629
 Diathesis, hemorrhagic, 943
 Dibenamine, 732
 adrenergic blocking effect of,
 506
 and coronary artery lesion, 946
 and hemorrhagic shock, 179-85
 Dicumarol, 732
 for coronary thrombosis, 932,
 934
 vs. early postoperative ambula-
 tion for thromboem-
 bolism, 631
 long term therapy, 778
 major bleeding after, 777
 in pregnancy, 777
 and prothrombin determination,
 445
 prothrombin time and bleeding,
 369-72
 for thromboembolism in con-
 gestive heart of failure,
 631
 and Vitamin K antagonism, 777
 Diet
 and atherosclerosis, 696-703
 and blood cholesterol, 452
 cholesterol in
 and coronary artery disease,
 696-703
 and myocardial infarction,
 176-77
 fat, and blood lipid molecules,
 175-76
 and hypertension, 309, 448, 449
 low-fat-low-cholesterol, and
 serum lipids, 475
 low sodium, in hypertension,
 and complications, 624
 and renal insufficiency in arterial
 lesions, 469
 salt free, and circulation in
 hypertension, 623
 Diethylaminoethanol, 787, 788
 Diethylstilbestrol, atherosclerosis
 induced by, 722-24
 Digitalis, (155), 731
 and arrhythmia, 97-98
 and blood coagulation, 271-76
 for coronary thrombosis with
 myocardial infarction, 931
 emetic activity of, 947
 poisoning, 948
 and ventricular tachycardia,
 278-85
 Digitoxin, 788
 for auricular flutter, 743-45
 and exercise, in heart failure,
 406
 and RS-T segment, 921-26
 renal excretion of, 749-55
 toxicity, 753-54
 Digoxin, 647
 Dihydrocornine, intramuscular,
 and cerebral circulation,
 628
 Dihydroergocornine, for hyper-
 tension, 943
 Diphenhydramine, for nocturnal
 leg cramps, 635
 1,3-Diphosphoglycerinaldehyde, 536
 1,3-Diphosphoglyceric acid, 536
 Diphosphopyridine nucleotide, 536
 Diphtheria, myocarditis in, 860,
 867
 Disseminated microarteritis, 730
 Dissociation, A-V, and auricular
 arrhythmia, 142
 Diuresis
 antidiuresis, 409-12
 and body position, 824
 and interlobar effusion, 336, 339,
 342
 Diuretic, mercurial
 cardio-depressive effects, 147
 radioactive, 319
 toxicity of, and proteinuria, 626
 Dogs, hypertensive, and depressor
 response to inflammation,
 392-400
 Double speed test, 97
 Ductus arteriosus
 patent, 540, 549
 in anomalous drainage of lung
 to right heart, 555
 and catheterization of aorta,
 446
 in infants, 907-14
 murmur in, 912
 Potts-Smith-Gibson clamp, 446
 ventricular septal defect simu-
 lating, 307
 Dysphagia, in cardiovascular dis-
 ease, 314
 Dyspnea
 and pulmonic opening, 489
 in tetralogy of Fallot, 491
 E leads, 106
 e wave, 22, 23
 Ear, human, and auscultation, 149
 Ebstein's anomaly, 618
 vs. valvular pulmonic stenosis,
 491
 Ectomorphy, 381
 and lipids, 383
 Edema
 of congestive heart failure, 731
 massive, Southey-Leech tubes
 in, 307
 pulmonary, 311, 625
 guinea pig, 945
 and hypoglycemia, 785
 paroxysmal, and anti foaming
 agents for, 872-78
 Effusion
 ascitic, 307
 localized interlobar, in conges-
 tive heart failure, 336-43
 pericardial
 vs. cardiac enlargement, in
 anemia, 298-303
 in myxedema heart, 636
 pleural, 307
 Einthoven's equilateral triangle,
 101-02, 113
 errors, 128-33
 Einthoven's Law, 132
 of network circuits, 680
 Einthoven's mean electrical axis,
 677
 Eisenmenger complex
 vs. stenosis of ostium infundib-
 uli of heart, 545-51
 vs. valvular pulmonic stenosis,
 491
 Electricity
 cardiac, 98
 conduction of, in impedance
 plethysmography, 811-20
 Electrocardiography, (156), (157)
 abnormal, and ergotamine tar-
 trate, 782
 acidosis, 868
 acute cor pulmonale, 447
 alkalosis, 868
 anemia, 298
 apical aneurysm, 621
 atrial deflections, in pulmonary
 artery, 14

- arborization block, 621
- A-V conduction, in auricular flutter, 604-15
- bundle branch block vs. myocardial infarction, 60-74
- cardiac axes, 622
- in children, 448
- clinical, role of, 94-108
- congenital heart disease, 446
- coronary insufficiency, 943
 - and khellin therapy, 344-49
 - and DCA, 233-36
 - differential method, 620
- electrical conductivity of tissues, 321-34
- ergotamine test and T wave, 623
- esophageal, 578-95
 - in enlargement of left ventricle, 782
 - RS-T segment after digitoxin, 921-26
 - in coronary insufficiency, 448
 - in formative stage of coronary occlusion, 783
- gastric, 578-95
- heart vector, calculation of, 128-33
- hyperpotassemia, 868
- hypertension with pulmonary emphysema, 622
- hypopotassemia, 868, 943
- hypothyreosis, 783
- integration of wave areas, 5-9
- intra-auricular, 37-46
- intra-bronchial, 419-21
- intrinsic deflection and subepicardial activation, 783
- malaria, 308
- myocardial infarction, 733, 782
 - and acute infectious disease, 859-70
 - vs. alterations in blood potassium, 75-77, 91
 - vs. myocardial ischemia, 77-80, 91
 - vs. pericarditis, 80-86, 91
 - supplementary thoracic leads in, 308
- and niacin, 868
- paroxysmal ventricular tachycardia, with retrograde conduction, 422-25
- pellagra, 868
- penetrating wound of heart, 428, 432
- in pericarditis with effusion, 138
- peri-infarction block, 31-36
- peripheral, 621
- "position," 588-94
- postlobectomy, 622
- postpneumonectomy, 622
- and potassium concentration, 230-33, 235-36
- primary mixed cardiopathies, 142
- Q-T duration, and heart rate during exercise, 781
- Q-T_c interval in rheumatic heart disease, 942
- RS-T segment, displacement of, in coronary insufficiency, 598-602
- recorder, frequency response of, 199-200
- standardizing factors in, 111-21
- and starvation, 869
- stilbamidine in, 448
- Stokes-Adams disease, 886-89
- T wave, 782
- tetralogy of Fallot, 491
- theory of, 98-102, 142, 447
- two-step exercise test, for coronary insufficiency, 942
- unipolar lead
 - and intraventricular dielectrics, 623
 - in myocardial disease, 309
- ventricular deflections, in pulmonary artery, 14
- wave areas, integration of, 5-9
- Electrode
 - platinum, 327
 - and polarization effects, 326
- Electrography, cardiac
 - coronary venous system, potential variations in, 48-58
 - intracardiac and intravascular potentials, 10-29
- Electrokymography, 319
 - apparatus, 630
 - atrium, left, 572-77
 - auricle, right, 903
 - cardiac cycle, 943
 - normal, 250-56
 - cardiovascular, 153
 - pressure pulses, simultaneously recorded, 900-06
 - pulmonary artery, 901-02, 904-05
 - recording fidelity, 197-203
 - ventricle, 890-98
 - left, 941
 - right, 902-03
- Electrolytes, subcutaneous absorption of, and hyaluronidase, 313
- Electrolytic cell, polarization resistance, 325
- Electrophoresis, and serum lipoprotein in vascular disease, 466
- Electroshock, and cardiovascular disease, 957
- Embolectomy, from abdominal aorta, 631
- Embolism
 - of amniotic fluid, 632
 - coronary, 434-37
 - in patent foramen ovale, 304-05
 - peripheral arterial, 632
 - pulmonary
 - in coronary heart disease, 941
 - and penicillin injection, 954
 - and phlebotrombosis, (157)
 - surgical prevention of, 454
- Emphysema, pulmonary, and hypertension, 622, 650-56
- Encephalitis, epidemic, myocarditis in, 861
- Encephalopathy, hypertensive, and benzodioxan, 144
- Endocardoscopy, 731
- Endocarditis
 - bacterial
 - and coronary occlusion, 941
 - myocardial lesions of, 729
 - penicillin for, 459
 - resistance to antibiotics, 668-75
 - subacute, 139, 318, 617, 776, 801-09
 - therapy for, 937
 - bacterioid, 807
 - rheumatic vs. subacute bacterial, 617
- Endocardium
 - ECG, distortion of, 13
 - right ventricle, stimulation of, 237-39
- Endocrine hypertensive syndrome, 494-503
- Endomorphy, 381
- and lipids, 383
- Enterococci, in bacterial endocarditis, 806
- Enzyme
 - hypertensinase, 363, 366
 - lactic dehydrogenase, 536
 - proteolytic, in plasma, 536
 - renin, 363
- Epicardium, stimulation of, 237
- Epinephrine, 787
 - and Dibenamine, 508-11
 - after hexamethonium, 833
 - inotropic action of, on heart muscle, 147
 - and norepinephrine, 510-11
 - pressor action of, 948
 - response to, of isolated coronary artery, 786
- Epistaxis, in coronary thrombosis, 934
- Equilateral reference system, 114-20
- tetrahedral, 122-25
- Ergonovine, in coronary artery insufficiency and khellin therapy, 348
- Ergot alkaloids, and hypertension, 309
- Ergotamine, 510
 - and abnormal T waves, 623
 - after TEA, and abnormal ECG, 782
 - vasoconstriction after, 948
- Ergotoxine, 510
- Erythema nodosum, tissue response to heat-killed streptococci, 318
- Erythroblastic anemia, and cardiac enlargement, 302
- Erythrocyte, and tetralogy of Fallot, 306
- Esophagus
 - arteries of, 637
 - ECG lead, 106, 579-82
 - in coronary insufficiency, 598-602
 - phonocardiography, 628
- Ether, and pulsus alternans, 358
- Ethyl alcohol, and pulmonary edema, 873-75, 878
- Excretion, sodium, effect of posture on, 822-26
- Exercise
 - ballistocardiogram after, 186-95
 - in heart failure, and plasma volume, 402-07
 - heart rate during, and Q-T duration, 781
 - mild, and pulse volume, 816
- Exercise test
 - for intermittent claudication, 954

- Exercise test (*Cont'd*)
 and coronary insufficiency, 97
 Cournaud and Richard's, 541,
 542
 for valvular pulmonic stenosis,
 490
- Extrasystole, 95, 352
 and A-V conduction, 610-11, 615
 experimental, 20
 vs. myocardial infarction, 86-
 87, 89
- Extremity, arterial vascular dis-
 eases of, 152
- Extrinsic deflection, 14
- Fasting, and congestive heart
 failure, 140
- Fat
 absorption of, and atherosclero-
 sis, 316
 dietary, and blood lipid mole-
 cules, 175-76
 resistivity, 322, 328
 in serum, 451
- Ferret, cardiac output and circula-
 tion time in, 149
- Fever therapy, and ECG, 867-68
- Fibrillation
 antibrillatory drugs, 949
 auricular, 95, 946
 A-V conduction in, 604-15
 A-V dissociation in, 142
 converted from flutter, 746
 and coronary blood flow, 146
 after electric accident, 145
 after lanatoside C, 745-46
 mechanism of, 622
 paroxysmal, during catheteriza-
 tion, 241
 ventricular, 607
 in Stokes-Adams disease, 886-
 89
- Fibrinogen B test, in intramuscu-
 lar thrombosis, 151
- Fibrosis
 hepatic, and heart failure, 286
 intimal, 730
 myocardial, in infancy, 786
- Fick principle, 373
- Filling, cardiac, 352-54
- Filter, electrokymographic fre-
 quency response, 200-01
- Fistula
 arteriovenous
 and collateral circulation, 793
 carotid-jugular, 455
 collateral circulation in, 455
 congenital, 939
 of great cerebral vein of Galen
 and circle of Willis, 446
 spontaneous cure of, 955
 excision of, and collateral cir-
 culation, 316
- Flocculation
 cephalin, after Paritol, 664
 cephalin-cholesterol, 795
- Fluoroscopy, frequency response
 of screen, 199
- Flutter, auricular
 A-V conduction in, 604-15
 A-V dissociation in, 142
 and cardiac glycosides, 742-48
 mechanism of, 622
- Foramen ovale, patent
 in anomalous drainage of lung
 to right heart, 555
 and congenital pulmonary steno-
 sis, 558-62
 embolus in, 304-05
 with intact ventricular septum
 in valvular pulmonic ste-
 nosis, 481-92
- F-R interval, in A-V conduction,
 605-10, 615
- Frequency
 and resistivity, 327
 and tissue resistance, 322-23
- Frostbite
 circulation in, 310
 experimental, 956
- Gall bladder, distention of, and
 blood pressure, 355
- Gallop rhythm, 628
 and abnormal ECG in myocar-
 ditis, 865
- Gamma globulin, of acute dis-
 seminated lupus erythe-
 matosus, 958
- Ganglionic block
 agents for, 788
 hexamethonium for, 828-35
 stellate, 634
- Gangrene of extremity, and am-
 putation, 955
- Gargoylism, in cardiovascular
 system, 785
- General adaptation syndrome,
 alarm phase of, and serum
 potassium, 230
- Gentisate, sodium, for acute rheu-
 matic fever, 265-70
- Geriatrics
 and hypertensive heart disease,
 144
 and pulmonary stenosis with
 patent foramen ovale,
 558-62
 and rheumatic fever, 630
 and rheumatic heart disease, 951
 and white blood cells, 470
- Germinine, 627
- Germitrine, 627
- Globulin, Ac, 778
- Globulin test, in heart failure, 291
- Glycoside, cardiac
 and auricular flutter, 742-48
 and calcium, 146
 and ventricular contractile
 force, 947
See also Digitalis
- Goldberger modification, of Wilson
 central terminal, 103
- Goldberger's augmented limb lead,
 117
- Gradient, ventricular, 99, 926
- H wave, 765-69
 peak, in A-V dissociation, 757
- H-I amplitude, 758-64
- Hamster, cholesterol feedings in,
 313
- Headache, chronic, and intra-
 cranial vessels, 450
- Heart, (158)
 aneurysm, 620, 621
 axis of, and age, 622
 block, in infectious disease, 860
 cavities, organized parietal
 thrombosis in, 453
- changes in, and adrenal insuffi-
 ciency, 635
- complete block, associated with
 pregnancy, 140
- congenital disease, (155), 306,
 446, 780, 939
 metabolism of lactate and
 pyruvate, 536-43
- congestive failure, 140, 631, 731
 chronic, 286-94
 localized interlobar effusion
 in, 336-43
- coronary insufficiency, 97, 169,
 173, 783, 942, 943
- RS-T segment displacement
 in, 598-602
- cycle, electrokymography, 943
- decentralized, glycosides for
 auricular flutter in, 743-45
- disease, (158)
 congenital, carbonic anhy-
 drase in, 939
 hypertensive, 144
 mortality, 794
 potassium in, 230
 in pregnancy, 637
 quinidine in, (154)
 and renal hemodynamics, 784
 in steel industry, 958
 tuberculous, 860
 vital capacity in, 794
*See also Rheumatic heart dis-
 ease*
- electrical currents in, 99
- electrokymography, 153
- electromotive force generated
 by, 322
- excitation, membrane theory of,
 37
- failure, 780, 822
 antidiuretic urine in, 409-12
 effect of strophanthin on
 venous pressure, 140
 exercise in, and plasma vol-
 ume, 402-07
 experimental, 731
 liver function in, 619, 940
- hemorrhage, 179
- histology, 98-99
- injury
 DCA in, 232-36
 potassium in, 230-33, 235-36
- innervated, glycosides for auri-
 cular flutter in, 745-47
- intracardiac potentials, 10-29
 and "intrinsic" reflexes, 351-62
 kinetic energy of, 789
- lesion, 729, 947, 951
 following venous catheteriza-
 tion, 785
- liver function and, 144
- mechanical with coagulable
 blood, 795
- muscle, 786
 after hypertrophy, 625
 inotropic action of norepi-
 nephine, 147
 potential of, 451, 621
- output, 145, 149, 188-90, 399,
 646, 651, 653, 822
- oxygen requirements
 and aminophylline, 215-24
 and strophanthus, 513-16
- pain, and coronary artery dis-
 ease, 781

- performance capacity, in aortic insufficiency, 770-74
pericardial effusion, 636
position
and ballistocardiogram, 760-62
ECG, 588-94
electrical, 104-06
and mean QRS vector, 687
rate
in Basedow's disease, 958
control of, by intracardiac thermode, 957
during exercise, and Q-T duration, 781
after hexamethonium, 832
registration, 639
red bone marrow in, 780
resistivity, 328
rhythm, chemical mediators of, 784
size, and anemia, 298-303
"small," x-ray diagnosis of, 149
sodium retention in, 822
sounds
duration of, 451
electrocardiographic timing, 896
strain, and aV limb lead, 104
surgery, anesthesia for, 315
systolic triphasic rhythm, 628
transfixion, by ice pick blade, 426-33
venous system, potential variations in, 48-58
vector, calculation of, 126-33
Heating, and ventricular repolarization, 145
Height, and serum lipids, 382-83
Hemangiosarcoma, primary, of pericardium, 792
Hematocrit value
in dependent limb, 378
of venous blood, and lactic dehydrogenase index, 542
Hematuria, in coronary thrombosis, 934
Hemochromatosis, 730
and heart failure, 302
Hemodynamics
anomalous pulmonary venous drainage, 553-56
in pregnancy, 790
Hemoglobin
after Paritol, 663
and tetralogy of Fallot, 306
Hemophilia, correction of coagulation mechanism in, 445
Hemoptysis, in coronary thrombosis, 931
Hemorrhage
into arterial wall, and peripheral vascular disease, 633
circulatory responses to, 639
in coronary thrombosis, 933
daily incidence of, 370-71
after dicumarol, 777
and prothrombin time, 369-72
shock, and dibenamine, 179-85
subarachnoid, and hypertension, 143
and vasoconstriction, 946
Hepatitis, infectious, myocarditis in, 861
Heparin, 732
clotting time, 139
for coronary thrombosis, 932, 934
hypersensitivity to, 777
injury pain, hyaluronidase for, 450
vs. Paritol, 666
regional, in vascular surgery, 938
subcutaneous use of, 837-44
tolerance curve, and digitalis in, 274
tolerance test, in vitro, for thromboembolic disease, 150
in venous thrombosis, 937
Heparinoid. *See* Paritol
Heredity, and hypercholesterolemia, 475
Hexamethonium, 828-35
and gastric secretion, 450
H-form resins, and cation removal, 148
His-Tawara system, 99
Histamine, 731
response to, of isolated coronary artery, 786
Homeostasis, in congestive heart failure, 822-23
Hormone
ACTH, 452, 456, 503, 732, 733, 791
antidiuretic, 409-12, 824
estrogenic, and serum lipid fractions, 479
and salt retention, 503
thyroid, and serum cholesterol, 701
Hot pack, for peripheral circulation, 950
Hyaluronidase
for pain of heparin injection, 450
and subcutaneous absorption of electrolytes, 313
4-Hydroxycoumarin anticoagulant, 139
Hykinone, 934
Hyperadrenocorticalism, and hypertensive syndrome, 494-503
Hyperbilirubinemia, and heart failure, 286
Hypercholesteremia
and blood lipid molecules, 174
and physique, 380
Hypercholesterolemia
and atherosclerosis, 205
in cholesterol-fed birds, 527
choline-inositol effect on, 716-17
desiccated thyroid for, 524
hereditary, 475
minimal
and cholesterol-induced atherosclerosis, 470, 705-12
Hyperchylomicronemia, 703
and atherosclerosis, 211
Hyperlipemia
choline-inositol effect on, 716-17
stilbestrol-induced, 523
Hyperphospholipemia, 717
in cholesterol-fed birds, 527
choline-inositol effect on, 716-17
desiccated thyroid for, 524
stilbestrol-induced, 528
Hyperplasia
adrenal, in essential hypertension, 502
endothelial, 226
Hyperpotassemia, and ECG, 868
Hypersensitivity, anaphylactic, ACTH for lesions of, 456
Hypertension
isolation of, by dialysis, 363-68
Hypertensinase, 366
Hypertensinogen, 363
Hypertension, 730
and adrenal cortex, 144
with amyloid disease, 944
and aortic length, 918-19
arterial
and Dibenzamine, 509
genesis of, 624
pathologic findings, 226
pseudotumor syndrome in, 944
and blood lipid molecules, 169, 174
canine, and depressor response to inflammation, 392-400
cardiac output, postexercise, 189-90
chronic, renal artery clamp for producing, 625
circulation in, 623
development of, and cortisone, 147
and diet, 309, 448, 449
dihydroergocornine, 943
and dihydrogenated ergot alkaloids, 309
essential, 730
ballistocardiogram, 759-60
and veratrum viride, 624
and granular cells of renal arteriole, 469
and hyperadrenocortical function, 494-503
incidence of, and abdominal aortic aneurysm, 259
leg ulcer, 625
and leukotomy, 623
low sodium diet in, and complications, 624
malignant, 448
nephrectomy for, 732
nephrogenic, 143
pathogenesis, 945
and pheochromocytoma, 143, 732
and piperidylmethyl-benzodioxane, 143
paroxysmal, and benzodioxan, 144
pulmonary, 646-56
and arterial blood oxygen unsaturation, 650-51
and cardiac output, 653
in Eisenmenger's Complex, 548-49
in heart disease, 638
left ventricular failure in, 647-48
and mitral stenosis, 648-50
and pulmonary emphysema, 622, 650-56
renal, 945
and diet, 143
following renal ischemia, 624
and hypertensin, 363
production of, 730

- Hypertension (*Cont'd*)
 salt-induced, and spontaneous atherosclerosis, 468
 splanchicectomy for, 944
 and subarachnoid hemorrhage, 143
 surgery in, 448, 623
 sympathectomy for, 731
 test for vasopressors, 945
 and undetermined cardiac hypertrophy, 414-18
 vascular, 944
 and ventricular strain, 96
 Hypertensive syndrome, endocrine, and hyperadrenocortical function, 494-503
 Hypertensive cardiovascular disease, acute, 448
 Hyperthyroidism, and Valsalva maneuver, 358
 Hypertrophy
 cardiac, 298
 and arterioles, 414-18
 left ventricular, 141
 in argyrosis, 311
 and QRS deformity, 691
 myocardial, 625
 and coronary arteriosclerosis, 730
 right auricular, 44-45
 Hypervolemia, 653
 Hypochlosteremia, and physique, 380
 Hypoglycemia, in pulmonary edema, 785
 Hypolipemia, 380, 381
 Hypoplasia, coronary-arterial, with paroxysmal tachycardia, 618
 Hypopotassemia, 75
 ECG patterns, 868, 943
 Hypotension
 hemorrhagic, 179-80
 postural
 and hexamethonium, 829, 833
 postexercise cardiac output, 189-90
 static, and body position, 378
 Hypothyreosis, ECG, 783
 Hypothyroidism
 and blood lipid molecules, 169, 173
 postexercise cardiac output, 189
 Hypoxemia, adrenaline in, 789
 I peak, in hypertension, 761
 i wave, 22
 I-J amplitude, 763
 Impedance
 electrical, in plethysmography, 811-21
 of living tissue, 323
 Infant
 myocardial fibrosis in, 786
 patent ductus arteriosus aortography, 907-14
 vascular occlusion, 956
 Infarction
 anterolateral, and left bundle branch block, 60
 myocardial, 620, 781
 and acute suppurative appendicitis, 942
 vs. acute surgical abdomen, 78
 vs. alterations in blood potassium, 75-77, 91
 in ambulant patients, 620
 without anticoagulant therapy, 942
 and autonomous nervous system, (798)
 and blood lipid molecules, 166
 vs. bundle branch block, 60-74
 calcification in, 141
 centrilobular hepatic necrosis after, 781
 myocardial
 coronary A-V oxygen difference in, and aminophylline, 219-21
 with coronary thrombosis, 929-35
 vs. ectopic ventricular beats, 86-87
 ECG in, 733, 782
 electrokymography, 807
 low cholesterol diet, 176-77
 vs. myocardial ischemia, 77-80, 91
 vs. pericarditis, 80-86, 91
 QRS forces in, 686
 and shoulder-hand syndrome, 781
 vs. subepicardial myocarditis, 80-86, 91
 supplementary thoracic leads, 308
 peri-infarction block, 31-36
 pulmonary, and jaundice, 289
 septal, vs. right bundle branch block, 68-71
 subendocardial, 36
 Infection, acute, and myocarditis, 859-70
 Inflammation, acute, and depressor response, 392-400
 Influenza, myocarditis in, 860
 Infusion
 in coronary thrombosis, 931
 plasma, 451
 Inhibition, sympathetic, and cardiac depression, 356
 Injury
 DCA in, 232-36
 and ECG patterns, 99-100
 potassium in, 230-33, 235-36
 Injury potential, 17
 atrial, 24
 Innervation, vagal-ventricular, 359
 Inositol
 and arteriosclerosis, 471
 effect of
 on lipids, 716-19, 479
 stilbestrol-induced atherosclerosis, 722-24
 Inotropism, 147
 Input, cardiac, in dogs, 313
 Insufficiency
 adrenal, cardiac changes in, 635
 aortic
 ballistocardiography, 762
 and cardiovascular performance, 770-74
 respiratory insufficiency in, 772
 arterial
 plethysmography in, 956
 treatment of, 635
 coronary, 97
 ECG, 943
 esophageal leads in, 448
 khellin for, 344-49
 mitral, 577
 electrokymographic tracing, 574-77
 renal, 457
 and diet in arterial lesion, 469
 venous, 733
 Integration, of ECG wave areas, 5-9
 Interatrial septal defect, roentgenographic appearance of, 952
 International Society of Cardiology, 969
 Intracavity lead, 106
 Intrinsic deflection, 40, 783
 Intrinsic interval, 586
 Iodine, in experimental atherosclerosis, 477
 Irradiation, ultraviolet, in rheumatic fever therapy, 630
 Irritability, of heart muscle, 786
 Ischemia
 myocardial, 77-80, 91
 renal, and hypertension, 624
 Isometric relaxation, 891, 896
 Isoceles tetrahedron reference system, 116
 Isotope, radioactive, in study of peripheral vascular disease, 635
 Isuprel, 148
 Jaundice, in heart failure, 289
 Jervine, 948
 J-K amplitude, as percentage of I-J amplitude, 758-64
 Khellin
 in angina of effort, 313
 for coronary artery insufficiency, 344-49
 Kidney
 arteriole
 and cardiac hypertrophy, 414-18
 and hypertension, 469
 artificial, and isolation of hypertension, 363-68
 digitoxin excretion, 749-55
 function of, after Paritol, 663
 in heart disease, 784
 hemodynamics in, and diet, 449
 hypertension, 363, 623, 624, 730, 945
 nephrogenic, 143
 insufficiency, 469
 plasma flow in aortic insufficiency, 772-74
 pressure, 950
 specific resistivity of, 322
 and VEM, 184
 Kupffer cells, 211
 Lactate metabolism, in congenital heart disease, 536-43
 Lactic dehydrogenase, 536
 Lanatoside, and paroxysmal supraventricular tachycardia, 148
 Lanatoside C, for auricular flutter, 743-45
 Lead
 aVF, 587
 atrial, 580
 and "ECG position" of heart, 589-91

- CF, 103
- Chest, 103, 106
- Different systems of, in calculation of heart vector, 128-33
- Direct, 681-82
- Esophageal, 106, 578-95, 598-602, 923-26
- Gastric, 578-95
- Intracavity, 106
- Limb, 620
 - aV, 103-06
 - bipolar vs. unipolar in vector ECG, 678
 - Goldberger's augmented, 117
 - unipolar, 111
- Precordial
 - in bundle branch block, 60-74
 - RS complexes in, 593
 - in vector ECG, 679, 681-82
- Spatial, 681-82
- Transitional, 581, 589
- Unipolar, 101-02, 623
- in acute infectious disease, 862
- ventricular, 587, 589
- Lecithin
 - and atherosclerosis, 206
 - as cholesterol sols stabilizer, 464
- Lee-White test for blood clotting, 271-72, 275
- Leg
 - arteriography, 317
 - dependency of, and blood flow, 375-78
 - venography of deep veins, 951
- Lesion
 - arterial, experimental, 469
 - atheromatous, and cholesterol, 792
 - cardiac, 729
 - following venous catheterization, 785
 - rheumatic-like, 951
 - in rheumatoid arthritis, 947
 - vascular, and alloxan-caused diabetes, 468
- Leukocyte, 470
- Leukotomy, and hypertension, 623
- Leukemia
 - acute myelogenous, 943
 - blood coagulation in, 139
- Limb, blood flow in, and dependent position, 373-79
- Lipid
 - blood, and atherosclerosis 161, 795
 - in coronary artery disease, 205-13
 - plasma, 715-17, 723
 - in renal arteriolar sclerosis, 455
 - serum, 164, 471, 474, 475, 479, 521
 - and physique, 380-91
 - in stilbestrol-treated chick, and desiccated thyroid, 523-28
 - tissue, 708-09, 724
 - See also Phospholipid
- Lipidosis
 - aortic, 525
 - organ, 470, 708-10
 - tissue, 525, 717
- Lipoprotein
 - and antistreptolysin S, 636
 - and atherosclerosis, 316, 466
 - serum, 164
 - and vascular disease, 466
- Lipotropy, in coronary atherosclerosis, 141
- Lithium salt, as substitute for sodium chloride, 627
- Liver, 781
 - and cardiac activity, 144
 - cholesterol, 477
 - choline-inositol effect on, 718
 - cirrhosis of, venous pressures in, 458
 - electrical conductivity, 102
 - function
 - and cardiac compensation, 274
 - in cardiac failure, 619, 940
 - and hemorrhagic hypotension, 183
 - after Paritol, 663
 - tests, 286-94
 - lipid concentration, 709
 - lipidosis, cholesterol concentration in, 717
 - phospholipids, 525
 - pulsations, in valvular pulmonary stenosis, 489
 - resistivity, 322, 328
- Lobectomy, ECG changes after, 622
- Lobotomy, frontal, and blood pressure, 457
- Longevity. See Geriatrics
- Lower leg stasis syndrome, 317
- Lung
 - arteriography, in carcinoma, 456
 - Ayerza's syndrome, 455
 - blood stasis in, 145
 - circulation, 145, 641-56
 - congenital stenosis and patent foramen ovale, 558-62
 - edema, 945
 - antifoaming agents for, 872-78
 - electrical conductivity, 102
 - embolism, surgical prevention of, 454
 - emphysema, and hypertension, 622
 - intrabronchial ECG, 419-21
 - nodules, and mitral stenosis, 449
 - resistivity, 322, 328
 - vanishing tumor of, 336-43
 - vascular tree, pathology of 545-51
 - venous drainage, anomalous, 553-56
- Lupus erythematosus
 - acute disseminated, 956, 958
 - and splanchnicectomy for hypertension, 944
- Lutembacher's syndrome, with dextrocardia, 779
- See also Stenosis, mitral
- Lymph
 - circulation
 - in frostbite, 310
 - in thermal burns, 312
 - tissue, lipid composition of, 465
- Lymphedema, 317
- McDowell reflex, 356
- Macrochylomicronemia, 527
- Magath's modification of Quick's procedure, 369
- Malaria, and ECG, 308
- Marey's law, 356
- Measles, and myocarditis, 785, 861
- Mecholyl, 732, 949
- Membrane theory of cardiac excitation, 37
- Menadione bisulfite, 934
- Meningitis, and myocarditis, 860, 866
- Mercurhydrin, 147, 949
- Mesentery, visceral, 355
- Mesomorphy, 381
 - and lipids, 383
- Metabolism
 - cholesterol, 467, 480
 - hepatic, 183
 - hydro-saline, 140
 - lactate, 536-43
 - oxidative, and strophanthus, 513-16
 - pyruvate, 536-43
 - in renal insufficiency, 457
- Microarteritis, disseminated, 730, 732
- Migraine, and cerebral aneurysm, 311
- Millman's theorem, 113-14, 117
- Minute volume, 757
- Mitral valve
 - disease, electrokymographic tracing in, 574-77
 - lesion, cinedensigraphy in, 791
- Mononucleosis, infectious, myocarditis in, 861
- Morbus caeruleus, (155)
- Morphine
 - vs. alcohol inhalation, for pulmonary edema, 875
 - in coronary thrombosis, 930
- Mortality
 - abdominal aortic aneurysm, 262-63
 - heart disease, 794
 - pulmonary stenosis with patent foramen ovale, 558
 - staphylococcus endocarditis, 672
 - ventricular tachycardia, 284
- Motility, and hexamethonium iodide, 450
- Mumps, myocarditis in, 860
- Murmur, 96
 - in patent ductus arteriosus, 912
 - in premature baby, 912
 - systolic, 865
 - * and electrokymography, 575-77
- Muscle
 - action of khellin, 344
 - adenylic acid for vascular lesions, 954
 - auricular, excitation of, 37-46
 - heart, 621, 786
 - action potential, 451
 - inotropic action of norepinephrine, 147
 - latent period of, and digitoxin, 788
 - resistivity, 322, 327-28
 - tension, and A-V oxygen difference, 378
- Myocarditis
 - in acute infectious diseases, 859-70
 - from Chagas' disease, 449
 - diphtheritic, conduction abnormalities, 862
 - following measles, 785

- Myocarditis (*Cont'd*)
 subepicardial, vs. myocardial infarction, 80-86
 and virus diseases, 729
- Myocardium
 aminophylline effect, 217
 failure of, and brain involvement, 941
 injury
 DCA in, 232-36
 after digitalis, 925
 potassium in, 230-33, 235-36
 rupture, 941
 specific resistivity of, 322
 ventricular, weakening of, 352
- Myxoma, of left auricle, 947
- Nausea, after digitalis, 947
- Necrosis, centrilobular hepatic, following cardiac infarction, 781
- Neosarsphenamine, 788
- Nephrectomy, in hypertension, 732
- Nephritis
 chronic glomerular, 730
 development of, and cortisone, 147
- Nephrosclerosis, DCA and salt in, 502
- Nephrotic syndrome, and blood lipid molecules, 173
- Nerve
 posterior tibial, and vascular function of lower extremities, 152
 vagus, and ventricular contraction, 355
- Nervous system, autonomous, and angina pectoris, (798)
- Neuritis, peripheral, 730
- Niacin, and ECG, 868
- Nicotine, and peripheral vasoconstriction, 850
- Nikethamide, and coronary blood flow, 215
- N-isopropyl-norepinephrine, 147
- Nitrogen blood urea, after Paritol, 663
- Nitroglycerin
 and coronary venous oxygen saturation, 221-22
 and khellin therapy in coronary artery insufficiency, 348
- Nodules, pulmonary, and mitral stenosis, 449
- Noradrenaline, 731
- Norepinephrine
 and Dibenamine, 508-11
 and epinephrine, 510-11
 after hexamethonium, 833
 inotropic action of, on heart muscle, 147
- N-piperidino-methylbenzodioxane, 510
- Nutrition, and heart failure, 292
- o wave, 22, 24
- Obesity, and salt in sweat, 497
- Occlusion
 arterial, continuous lumbar sympathetic block for, 633
 coronary artery
 electrical alternation in, 457
 and bacterial endocarditis, 941
- experimental, of portal vein, 310
- vascular
 in infancy, 956
 mesenteric, 315, 633
 venous, and smoking, 852-54
- Octyl alcohol, and pulmonary edema, 873
- Okinawans, atherosclerosis in, 702-03
- Oncotic pressure, protein, 643
- Osler's hemorrhagic telangiectasia, arteriovenous aneurysm in, 633
- Otrivine, and cardiac dynamics, 627
- Ouabain, and exercise in heart failure, 406
- Output, cardiac. *See* Cardiac output
- Oximetry, 153, 456
- Oxygen
 arterial blood, 650-52
 arteriovenous, and limb position, 373-79
 cardiac consumption
 and coronary blood flow, 315
 and intravenous aminophylline, 215-24
 consumption of, and strophanthus, 513-16
 maximal intake, in aortic insufficiency, 770-72, 773
 for myocardial infarction, 931
 for pulmonary edema, 875
 tension
 and pulmonary blood flow, 646
 of tissues, by polarography, 845-49
- Oxygenation, of blood, by gas dispersion, 312
- Oxygenation, of blood, by gas dispersion, 312
- Oxymetry, 153, 456
- P pulmonale, 44-45, 96
- P wave
 in atrial lead, 580, 582-84
 deflection, 594
 mitral, 96
 vs. pulmonary, 45
 notched, 138
 in ventricular lead, 583
- Pacemaker, inhibition of, and cardiac effect, 355
- Pain
 cardiac, and coronary disease, 781
 of heparin injection, 450
- Pancreas, arteriole of, and cardiac hypertrophy, 414-18
- Pantopon, 930
- Papaverine, 930
- Parathyroidectomy, and ECG, 98
- Paritol, anticoagulant, 658-67
- PAS, 787
- Patent ductus arteriosus, 307, 446, 540, 549, 555, 907-14
- Patent foramen ovale, 304-05, 481-92, 555, 558-62
- Pathology, anatomic, in chronic venous insufficiency, 226-29
- Penicillin
 and blood coagulation, 617
 for endocarditis
- bacterial, 459, 802-09
 staphylococcus, 672
 streptococcus, 669
 injection of, and pulmonary embolism, 954
- Pellagra, and ECG, 868
- Periarteritis nodosa, 730, 793, 944
- ACTH for, 456
 cortisone for, 456
 diagnosis of, 634
- Pericardial effusion, in myxedema heart, 636
- Pericarditis
 acute, 146, 958
 amebic, 947
 chronic, with effusion, 134-38
 chronic constrictive, vs. primary amyloidosis, 441
 constrictive, and electrokymography, 898
 hemopigmentary, 302
 vs. myocardial infarction, 80-86
- Pericardium
 effusion vs. cardiac enlargement in anemia, 298-303
 primary hemangiosarcoma of, 792
 resistivity, 328
- Peri-infarction block, 31-36
- Phenylindanedione, 938
- Pheochromocytoma
 and hypertension, 143, 732
 and pregnancy, 310
 pressor substances in, 505-11
- Phlebothrombosis, and pulmonary embolism, (157)
- Phonocardiography, esophageal, 628
- Phosphatase, aortic, 452, 477
- Phospholipid
 and cholesterol, 472
 in coronary artery disease, 205-13, 386
 plasma, 472
 in cholesterol fed chicks, 715-17
 effect of thyroid on, 524
 and ponderal index, 383
 serum, 310, 451, 520
- Phospholipidosis, 527
- Phosphorus, lipid, after stilbestrol implantation, 524
- Phototube, electrokymographic, 198-200
- Physiology, (157)
- Physiotherapy, in peripheral vascular disease, 163
- Physique, and serum lipids, 211
- Physostigmine, 746
- Piperidylmethyl benzodioxane, 143, 627
- Pitkin heparin menstruum, and clotting time, 530-34
- Pitressin, antidiuretic effect, 410
- Pituitary gland
 extract of, and DCA in vascular disease, 792
 and antidiuretic factors, 411
- Plasma
 albumin, in heart failure, 291-92
 cholesterol, 524
 infusion, 451
 iodine, 477
 lipids, 715-17, 723

- phospholipids
 - and cholesterol, 472
 - and thyroid, 524
- potassium, 232
- protein, in heart failure, 291-92
- proteolytic activity of, 776
- prothrombin time, 276
 - and aminophylline, 617
- transfusion, in coronary thrombosis, 931
- volume of, in heart failure, and exercise, 402-07
- Plastics, in arterial surgery, 630
- Platelet
 - accelerator, 778
 - after Paritol, 663
- Platinum electrode, 327
- Plethysmography
 - arterial insufficiency, 956
 - electrical impedance, 811-21
- Pleuritis, obliterative, 336
- Pneumonectomy, ECG changes after, 622
- Pneumonia, myocarditis in, 860, 861
- Poisoning, digitalis, 948
- Polarization, in tissue resistivity measurement, 324-34
- Polarography, oxygen tension of tissue, 845-49
- Poliomyelitis, myocarditis in, 861
- Polyanhydromannuronic acid, polysulfuric acid ester of, 658
- Polycythemia, 139, 489
- Ponderal index, and serum lipids, 382-83
- Position, dependent, and blood flow in limbs, 373-79
- Postphlebotic syndrome, 454
- Posture
 - and blood pressure, 314
 - and circulation, 149
 - effect of, on sodium excretion, 822-26
 - hypotension and hexamethonium, 829
- Potassium
 - in acute heart injury, 230-33, 235-36
 - blood, alterations in, vs. myocardial infarction, 75-77, 91
 - deficiency of, in PAS therapy, 787
 - iodide, and cholesterol, 166
 - serum, and ECG, 868
- Potassium deficiency syndrome, 784
- Potential
 - of cardiac muscle, 621
 - demarcation, 20
 - difference, 322
 - injury, 20
 - intracardiac, 10-29
 - skin, 8
 - variations of, in coronary venous system, 48-58
 - Zeta, and blood clotting, 617
- Potts-Smith-Gibson clamp, 446
- Pregnancy
 - cardiac disease in, 637
 - and complete heart block, 140
 - dicumarol in, 777
 - hemodynamics in, 790
 - ligation of inferior vena cava, 631
 - and pheochromocytoma, 310
 - venous blood in leg during, 635
- Premature beat, ventricular, and A-V conduction, 610-11, 615
- Pressor substance
 - hypertensin, 363-68
 - noradrenaline-like, 148
 - in pheochromocytoma, 505-11
- Pressure
 - arterial, and hexamethonium, 830
 - blood, 364
 - and abnormal ECG in myocarditis, 865
 - and frontal lobotomy, 457
 - and diet, 449
 - and inflammatory process, 392
 - and intrinsic reflexes, 351-62
 - and Paritol, 664, 665
 - and physical fitness, 451
 - and posture, 314
 - pulmonary, 642-44
 - regulating factors, (798)
 - "capillary," 643-44
 - gradient, arteriovenous, 378
 - intrarenal, 950
 - pulse, 353, 356
 - and electrokymogram, simultaneously recorded, 900-06
 - venous 307, (796)
- angiocardiographic evaluation, 792
- and circulation time, 314
- in cirrhosis of liver, 458
- and exercise in heart failure, 402-07
- pulmonary capillary, 314
- and strophanthin, 140
- Priscol, 148
- Priscoline
 - vs. hexamethonium, 831-32
 - vs. sympathectomy for artery insufficiency, 635
- Privine, 627
- Propyl thiouracil, for angina pectoris, 626, 787
- Protamine sulfate, 841-42
- Protein, 292
 - dietary, and renal hypertension, 143
 - in hypertension, 449
 - plasma, in heart failure, 291-92
- Proteinuria, and toxicity of mercurial diuretics, 626
- Prothrombin, 778
 - determination of, 445, 937, 938
 - in dicumarol therapy, 934
 - disappearance of, from circulation, 445
- Prothrombin time, 139, 276, 663
 - and bleeding, in use of dicumarol, 369-72
 - plasma, 617
- Pseudojervine, 948
- Pseudotumor syndrome, in arterial hypertension, 944
- Psychosomatic cardiovascular disease, 958
- Puberty, and serum cholesterol level, 517
- Pulmonary artery, electrokymography, 901-02
- Pulmonary stenosis, congenital, Blalock's operation in, 779
- Pulmonary valves, congenital atresia of, 780
- Pulse
 - femoral, in coarctation of aorta, 140
 - and Paritol, 664, 665
 - pressure, and electrokymogram, simultaneously recorded, 900-06
 - pulmonary capillary venous pressure, 314
 - rate
 - and abnormal ECG in myocarditis, 865
 - acceleration, 950
 - and atropine in heart block, 359
 - following carotid sinus stimulation, 359
 - and physical fitness, 451
 - prediction of, 356
 - volume
 - and blood flow, 852-56
 - measurement of, 812-16, 820
- Pulsus alternans, 358
- Purkinje network, conduction in, 685
- Purpura
 - nonthrombocytopenic vascular, 955
 - thrombocytopenic, 438-40, 626
- Pyruvate, metabolism of, in congenital heart disease, 536-43
- Q wave
 - amplitude of, 585-86
 - in atrial lead, 584
 - and right bundle branch block, 68, 72
 - septal, 686
- Q_s deflection, 22-23
- Q-I interval, 759, 763
- QR complex, in atrial lead, 584
- Qr pattern, after digitalis, 925
- QRS, 584-87
 - area, measurement of, 5-8
 - in aV_r and ventricular leads, 587
 - after digitalis, 925
 - distortion of, 13
 - secondary to arrhythmias, 86-91
 - in esophageal lead, 581
 - in intrabronchial ECG, 419-21
 - loop, 680-81
 - origin of, 28
 - in peri-infarction block, 31-32
 - small, in aV_L, 593
 - vector, 677, 683-94
- qRS, in left bundle branch block, 65
- qrS, triphasic, in bundle branch block, 66
- QRS-T complex
 - area, measurement of, 5-8
 - myocardial infarction
 - vs. blood potassium changes, 75-77, 91
 - vs. bundle branch block, 60-74
 - vs. myocardial ischemia, 77-80, 91

- QRS-T complex (*Cont'd*)
vs. subepicardial myocarditis, 80-86, 91
- QS
in atrial lead, 588
after digitalis, 925
in bundle branch block, 63-64
- Q-T interval
after digitoxin, 924
and heart rate during exercise, 781
in rheumatic heart disease, 942
- Quick's procedure, Magath's modification of, 369
- Quinidine
in heart disorders (154)
for paroxysmal ventricular tachycardia, 931
and thrombocytopenic purpura, 438-40, 626
- Quinine bisulfate, 438, 440
- R wave
amplitude of, 585
in atrial lead, 584
diminution of, in bundle branch block, 65, 71
and "ECG position" of heart, 590-91
origin of, 28, 591-93
- Rabbit, and cholesterol, 205
- Radiculitis, simulating cardiac asthma, 957
- Radiocarbon, 467
- Radioisotope, in study of peripheral vascular disease, 635
- Radiomercury, 319
- Raynaud's phenomenon, 834
- Reactance, 330-32
- Receptor, mesenteric, 360
- Red blood cells, 653
after Paritol, 663
- Reference system, ECG, 114-20, 122-25
- Reflex
carotid sinus, 352
visceral, 355
- Refractory period, 747
- Refrigeration, in amputation of gangrenous extremity, 955
- Regression deflection, atrial, 24
- Regurgitation
aortic, 194
and mitral stenosis, 576-77
- Relaxation, isometric, 891, 896-97
- Renal plasma flow, in aortic insufficiency, 772-74
- Renin, 731
and blood pressure, 363
- Repolarization, 145, 447, 926
- Resins, H-form, and cation removal, 148
- Resistance, 329-33
capillary, test for, 790
coronary, and strophanthus, 515
skin-electrode, 118-19
tissue, measurement of, 324-27
- Resistivity
of blood, 812-19
of tissue, 321-34
- Respiration, 145
and frontal lobotomy, 457
and intravenous aminophylline, 216
and Paritol, 664, 665
- and circulation in hypertension, 623
and heparin action, 531
in myocardial infarction, 930
- Retinitis, diabetic, rutin for, 955
- Rheumatic fever, 729
ACTH for, 452, 791
acute, sodium gentisate for, 265-70
ascorbic acid for, 790
cortisone for, 452
reactivation of, by smallpox vaccination, 950
simulated by miliary tuberculosis, 790
statistics, 629
tissue response to heat-killed streptococci, 318
ultraviolet blood irradiation therapy, 630
- Rheumatic heart disease, 729
blood cholesterol level, 291
cardiac output, postexercise, 188-91
at high altitudes, 149
in old age, 951
Q-T_c interval in, 942
- Rheumatic myocarditis, acute, 733
- Rhythm
ectopic, 20
gallop, and abnormal ECG in myocarditis, 865
reciprocal, in paroxysmal ventricular tachycardia, 422-25
systolic triphasic, 628, 950
- Rickettsial disease, 729
- Ring, aortic vascular, 446
- Roentgenkymography, 791
- Roentgenology
acute thrombosis, 452
anomalous pulmonary venous drainage, 556
atheromatosis signs, 476
detection of coronary arteriosclerosis, 141
direct serial, in two planes, 952
heart, (156)
interatrial septal defect, 952
ruptured aneurysm of abdominal aorta, 452
"small heart," 149
thrombophlebitis therapy, 454
- Roniacol, 313
- RS complex, in precordial lead, and "ECG position" of heart, 593
- rS deflection, in bundle branch block, 65
- RS-T junction, elevation of, 70
- RS-T segment, 587-88
after digitoxin, 921-26
displacement of, 13
in coronary insufficiency, 598-602
esophageal leads, in coronary insufficiency, 448
- Rupture
myocardial, 941
spontaneous, of aorta, 626
- Rutin, for diabetic retinitis, 955
- S wave, 28, 584-85
- Salicylate vs. gentisate, for rheumatic fever, 265-70
- Salt
and DCA, in hypertension, 502
dietary, and renal hypertension, 143
in hypertension, 449
in renal insufficiency, 457
in sweat, and hypertensive syndrome, 494
retention of, and ACTH, 503
- Salt paste, and pulse volume, 815
- Saponin, 480
- Saturation, oxygen, of pulmonary vein, 488
- SC 1950, and peripheral circulation, 628
- Schizophrenia, hypolipemia in, 380
- Schroeder's endocrine syndrome, and salt in sweat, 497
- Sclerosis, renal arteriolar lipid in, 455
- Scrub typhus, myocarditis in, 861
- Secretion, gastric, and hexamethonium, 450
- Sedation, in coronary thrombosis, 930-31
- Sensorium, disturbances of, 730
- Septum
anomaly of, 555-56, 952
aortic, congenital defect of, 880-84
ventricular
defect of, 307, 618
intact, and patent foramen ovale in valvular pulmonary stenosis, 481-92
- Serotonine, 731
- Serum
atherosclerotic, and saponin, 480
blood lipid molecules in, 164
calcium, and ECG, 868
cholesterol
and blood lipid molecules, 174
and patient's age, 517-22
cholesterol-phospholipid correlation, 520
choline-containing phospholipids, 310
components of, 451
lipid, 164
and atherosclerotic disorders, 521
in coronary artery disease, 205-13
in diabetes mellitus, 474
and lipotropic agents, 479
and low-fat-low-cholesterol diet, 475
and physique, 380-91
and Tween 80, 471
lipoprotein, 164
and vascular disease, 466
potassium, and ECG, 868
resistivity, 322, 328
- Sheldon system of body build rating, 380-83
- Shock
hemorrhagic, and dibenamine, 179-85
traumatic, and vasoconstriction, 638
- Shoulder-hand syndrome, recurrent post-infarctional, 781

- Shunt
 - in anomalous drainage of lung to right heart, 555
 - arteriovenous, in lung tumor, 633
 - right to left, and skin oxygen tension, 845-49
 - venous-arterial, 488
- Sinus, coronary, catheterization of, 618
- Sinus arrhythmia, 95
- Sinus rhythm, from circus movement, 747
- Skin
 - blood vessels of, in chronic venous insufficiency, 225-29
 - current, 8
 - oxygen tension, and right to left shunt, 845-49
 - potential, 8
 - temperature, and smoking, 852
- Smoking, and postsympathectomy blood flow, 850-57
- Sn wave, 22
- Sodium
 - chloride, lithium salt as substitute for, 627
 - excretion, effect of posture on, 822-26.
 - gentisate, for acute rheumatic fever, 265-70
 - low, in diet, and complications, 624
 - succinate, as circulation efficiency test, 786
- Somatotypy, and serum lipids, 380
- Southey-Leech tube, 307
- Span 85, and pulmonary edema, 873, 874
- Sparteine, (158)
- Spinal cord, and heart rate, 357
- Splanchnicectomy, for hypertension, 944
- Spleen, specific resistivity of, 322
- Squatting, in congenital heart disease, 780
- S₁S₂S₃ syndrome, 687-94
- Standardizing factor, in ECG, 111-21
- Staphylococcus endocarditis, resistance to antibiotics, 672-75
- Starling's law, 352, 355
- Starvation, and ECG, 869
- Stasis, of lower leg, 317
- Stenosis
 - aortic, 625
 - congenital pulmonic
 - and aortic vascular ring, 446
 - and patent foramen ovale, 558-62
 - mitral, 730
 - vs. chronic pericarditis with effusion, 138
 - and pulmonary hypertension, 648-50
 - and pulmonary nodules, 449
 - of ostium infundibuli of heart vs. Eisenmenger complex, 545-51
 - valvular pulmonic with intact ventricular septum and patent foramen ovale, 481-92
- Stereovectorcardiography, 101, 107-08, 126-27
- Stilbamidine, in ECG, 448
- Stilbestrol
 - atherosclerosis induced by, 523-28
 - choline-inositol effect on, 722-24
- Stimulation
 - carotid sinus, 352
 - mediation of, 355
 - electrical, 457
 - endocardial, of right ventricle, 237-39
 - mesenteric receptor, 356
 - vagal, 355
- Stokes-Adams disease, rectally induced, 886-89
- Stomach, ECG lead, 582
- Strain, ventricular, 96
- Streptococcus
 - Group A, and cardiac lesion, 951
 - fecalis, 806
 - heat-killed, tissue response to, 318
 - infections, myocarditis in, 860, 863
 - viridans, 802
- Streptococcus endocarditis, 668-72, 674-75
- Streptolysin O, 637
- Streptomycin, for bacterial endocarditis, 807
- Stroke volume, 758
 - in aortic insufficiency, 773, 774
- Strophanthin, 140, 513-16
 - for auricular flutter, 743-45
- ST-T contour, and digitalis, 98
- Surgery, 733
 - anticoagulant therapy in, 776
 - artery, 630
 - Blalock's operation in congenital pulmonary stenosis, 779
 - coarctation of aorta, 792
 - congenital cyanotic heart disease, 779
 - heart, anesthesia for, 315
 - in hypertension, 448, 623
 - prevention of pulmonary embolism, 454
 - tetralogy of Fallot vs. valvular pulmonic stenosis, 490-91
 - thromboembolism after, 954
 - thoracic, arrhythmia during, 358-59
 - vascular, regional heparin in, 938
- See also Sympathectomy
- Svedberg unit, 164
- Sweat, salt in, and hypertensive syndrome, 494
- Sympathetic block, 633
- Sympathectomy
 - for hypertension, 731
 - lumbar, and thromboangiitis obliterans, 151
 - for paroxysmal tachycardia, 953
 - in postphlebitic syndrome, 454
 - thoracolumbar, without rib resection, 452
 - total, 150, 184
 - and vascular diseases, 317
 - and vasoconstrictor response to smoking, 850-57
- Sympathicolysis, of Prisolol, 148
- Synergism, inotropic, 146
- Synkovite, 934
- Syphilis
 - aortitis, and aortic length, 916-18
 - cardiovascular, specific therapy in, 789
- Systole
 - auricular, and H wave, 765-66
 - extra, 20, 86-87, 89, 95, 352, 610-11, 615
- T vector, 677-94
- T wave, 782
 - in acute infectious disease, 859, 860, 862-65
 - area, measurement of, 5-8
 - in atrial leads, 587-88
 - concordant, and bundle branch block, 71
 - cove-plane, in diagnosis, 79
 - and digitalis, 921-26
 - and ergotamine test, 623
 - inversion of, 70-71
- Tachycardia
 - paroxysmal, 148, 241, 422-25, 618
 - quinidine for, 931
 - sympathectomy for, 953
 - ventricular, 359
 - during cardiac catheterization, 245-48
 - and digitalis, 278-85
 - vs. myocardial infarction, 87
 - in Stokes-Adams disease, 886-89
- TEA, 732, 782
 - for angina pectoris, 788
 - vs. hexamethonium, 832, 833
 - and peripheral blood flow, 318
- Teleangiectasia, hemorrhagic, 633
- Temperature
 - and resistance of electrolyte, 326
 - skin
 - and hexamethonium, 830-32, 834
 - and smoking, 852
 - Tension, muscular, and A-V oxygen difference, 378
- Terramycin, 807
- Test
 - for atherosclerosis, 472, 478
 - bilirubin, for heart failure, 289-90
 - bromsulfalein
 - for heart failure, 286
 - for hepatic metabolism, 183
 - for capillary resistance, 790
 - cholesterol, for heart failure, 290-91
 - Courmand and Richard's, 541, 542
 - exercise
 - for coronary insufficiency, 97, 942
 - for intermittent claudication, 954
 - fibrinogen B, for intramuscular thrombosis, 151
 - heparin tolerance, for thromboembolic disease, 150

- Test (*Cont'd*)
 oxygen inhalation, for right to left shunt, 845
 sodium succinate, for circulatory efficiency, 786
 thymol turbidity, for heart failure, 287-88
 total plasma proteins, for heart failure, 291-92
 for vasopressor in hypertension, 945
 Tetraethylammonium chloride. *See* TEA
 Tetralogy of Fallot, 139, 306, 488
 arterial blood oxygen tension 536
 vs. pulmonary stenosis with patent foramen ovale, 558
 valvular, 490
 Thermode, intracardiac, 957
 Thevenin's theorem, 118
 Thiamin, 147
 Thiomerin, 147
 Thiouracil
 and atherosclerosis, 206
 vs. propylthiouracil, for angina pectoris, 787
 Thiourea, 876
 Thorium dioxide, colloidal, 465
 Thorotrast, 465
 Thromboangiitis obliterans, 151, 850, 855-57
 Thrombocytopenia, 445
 Thrombocytopenic purpura, quinidine as cause of, 626
 Thromboembolic disease, heparin tolerance test for, 150
 Thromboembolism
 in congestive heart failure, and dicumarol prophylaxis 631
 early postoperative ambulation vs. dicumarol, 631
 prediction of, 315
 after surgery, 954
 hospital treatment of, 632
 Thymol turbidity test, in heart failure, 287-88
 Thyroid
 and atherosclerosis, 523-28
 and serum cholesterol, 701
 Thyroidectomy
 and atherosclerosis, 206
 and ECG, 98
 Thyrotoxicosis, 188-90
 Tissue
 aortic, phosphatase in, 462
 lymph, lipid composition, 465
 lipids, 708-09, 717, 724
 oxygen tension, by polarography, 845-49
 resistivity of, 321-34
 Tonus, and circulation, 629, 794
 Total plasma proteins test, for heart failure, 291-92
 Tourniquet, in amputation of gangrenous extremity, 955
 Toxicity
 of digitoxin, 753-54
 of khellin, 349
 of Paritol, 666
 Thrombophlebitis, 954
 and hexamethonium, 833, 834
 roentgen therapy, 454
 ultraviolet irradiation therapy, 151
 Thromboplastin, 778
 Thrombosis
 acute, roentgenology in, 452
 in arteriosclerosis of legs, (797) atrial, 138
 of carotid artery, 151
 coronary, 619
 with myocardial infarction, 929-35
 Thrombosis
 intramuscular, 151
 intravascular, 732
 organized parietal, in heart cavities, 453
 venous
 anticoagulant therapy, 776
 dicumarol prophylaxis, 938
 heparin for, 937
 T-P interval, 8
 Transfusion, in coronary thrombosis, 931
 Transplant, vascular, 316
 Trauma, and ECG patterns, 99-100
 Tricuspid valve, congenital atresia of, 780
 Tromexan, 935
 Truncus arteriosus, persistent, 909, 911-12
 Trypanosomiasis, cardiac, 449
 Tube, photomultiplier, 199
 Tuberculosis
 miliary, 624, 790
 and myocarditis, 860, 866-67
 Tumor
 lung, 336-43
 with arteriovenous shunt, 633
 metastatic, 153
 pheochromocytoma, 505-11
 Turpentine, and depressor response, 395
 Tween 80
 and atherosclerosis, 206
 and serum lipid, 471
 Two-step exercise test, 942
 Typhoid fever
 circulation in, 784
 myocarditis in, 860, 863, 867
 Typhus fever, myocarditis in, 861
 Ulcer, hypertensive, of leg, 625
 Ultracentrifugation
 of lipids, and atherosclerosis, 162-77
 serum lipoprotein in vascular disease, 466
 Ultrafiltration. *See* Dialysis
 Unipolar limb lead, 111
 Urea, retention of, after Paritol, 663
 Urine
 antidiuretic action of, from patients in cardiac failure, 409-12
 volume, and body position, 824-26
 Vaccination, smallpox, and reactivation of rheumatic fever, 950
 Vagotomy, for auricular fibrillation, 746
 Vagus
 activity of, and pulmonary embolism, 793
 mediation of, in change from flutter to fibrillation, 747
 and ventricular contraction, 355, 359
 Valsalva maneuver, 354, 358
 Valve, aortic, 791
 Valvulitis, mitral, 791
 Valvulotomy, pulmonic, 482, 491
 Varicose veins, 152
 Vascular disease
 arterial, 152
 aspirin therapy for, 153
 DCA, 792
 diagnosis and treatment, 454
 ischemic, 379
 peripheral
 and blood flow in dependent limbs, 373-79
 hexamethonium evaluation of, 834
 and physical medicine, 153
 pituitary extract for, 792
 premature, 474
 and serum lipoprotein, 466
 and sympathectomy, 317
 Vascular occlusion, in infancy, 956
 Vascular purpura, nonthrombocytopenic, 955
 Vascular system, peripheral, in bulbar conjunctiva, 455
 Vascular tonus, and circulatory problems, 794
 Vascularization, of aorta, 312
 Vasoconstriction
 after ergotamine tartrate, 948
 and hemorrhage, 946
 peripheral, and postsympathectomy smoking, 850-57
 reflex, 378
 sympathogenic, and dibenamine block, 179-85
 sympathetic, 829
 and traumatic shock, 638
 Vasoconstrictor, 839-41
 in canine blood, 629
 in heparin menstruum, 533-34
 Vasodilation
 aminophylline, 215-24
 of coronary arteries, and khellin, 349
 in dependent limb, 378
 nitroglycerin, 221-22
 nitrites, 223
 peripheral, 360
 Vasodilator, Roniacol, 313
 Vasography, 733
 Vasopressor, test for, in hypertension, 945
 VDM, from liver, 185
 Vector, heart, calculation of, 126-33
 Vectorcardiography, 111, (799)
 spatial, 114-20, 126-27, 676-94
 Vein
 anomalous pulmonary drainage, 553-56
 femoral, blood flow in, 375-76
 great, of Galen, 446
 occlusion of, and smoking, 852-54
 popliteal, blood flow in, 376
 portal, occlusion of, 310

- pulmonary
 - anomaly of, 450
 - oxygen saturation of, 488
 - varicose, 152, 953
- VLM, from kidney, 184
- Vena cava
 - inferior, ligation of, during pregnancy, 631
 - superior
 - aneurysm of, 619
 - electrokymography, 903
 - galvanometric record, 26
- Venography
 - deep veins of leg, 951
 - proximal femoral, 634
- Venous insufficiency, chronic, and blood vessels of skin, 225-29
- Venous system, 768
 - coronary, potential variations of, 48-58
- Ventricle, 14
 - and atropine, 359
 - contraction of,
 - and glycosides, 947
 - and vagal stimulation, 355
 - ECG levels, 581
 - electric currents in, 100-01
 - electrokymography, 890-98
 - excision of entire thickness, 453
 - gradient, 99, 684
 - hypertrophied, 685
 - left
 - activation of, 586
 - cavity potential, 601
 - circulation reversal in, 958
 - electrokymography, 941
 - failure of, and pulmonary hypertension, 647-48
 - hypertrophy of, in argyrosis, 311
 - potentials, 56-57
 - paroxysmal tachycardia, with retrograde conduction, 422
 - repolarization in, 145
 - right
 - arrhythmia during catheterization, 240
 - electrokymography, 902-03
 - failure, 653
 - intraventricular deflections, 17-21, 26
 - stenosis of ostium infundibuli and Eisenmenger complex, 545-51
 - stimulation of endocardial surface, 237-39
 - septal defect, 618
 - and vagal fibers, 356
 - vagal influence on, 359
 - Ventricular gradient, 99
 - spatial, 684
 - Venule, in chronic venous insufficiency, 226-29
 - Veratrosine, 948
 - Veratramine, 948
 - Veratrum alkaloids, 948
 - Veratrum viride
 - chemical fractions of, 627
 - essential hypertension, 624
 - Vessel, intracranial, 450
 - Virus diseases, and myocarditis, 729
 - Viscera, reflexes from, and blood pressure, 355
 - Vital capacity, in heart disease, 794
 - Vitamin A, 939
 - Vitamin C, 147, 790, 949
 - Vitamin K, 934
 - antagonism to dicumarol, 777
 - Volume curve, and electrokymography, 895, 898
 - Vomiting, after digitalis, 947
 - Warmth, as frostbite therapy, 310
 - Water, in chronic renal insufficiency, 457
 - Wave areas, ECG, integration of, 5-9
 - Weight
 - changes in, and atherosclerosis, 793
 - and heparin response, 842, 843
 - and serum lipids, 382-83
 - Weltmann's reaction, 617
 - Wenckebach phenomenon, 615
 - in paroxysmal ventricular tachycardia, 422-25
 - White blood cell count, after Paritol, 663
 - Wilson, Frank N., 3-4
 - Wilson's central terminal, 103-04, 113-19
 - Wilson's tetrahedron averaging network, 131-32
 - Wolff-Parkinson-White syndrome, 245
 - double rhythm theory, 20
 - Wound, penetrating, of heart, 426-33
 - X-ray. *See* Roentgenology
 - Yohimbine, 510
 - Zeta-potentials, 617
 - Zona glomerulosa of adrenal cortex, 502-03